

**General Part**

<b>Technical Assessment Body issuing the European Technical Assessment: SGS INTRON CERTIFICATIE B.V.</b>	
<b>Trade name of the construction product</b>	EUROFAST®
<b>Product family to which the construction product belongs</b>	Fasteners for mechanically fastened flexible roof waterproofing systems
<b>Manufacturer</b>	VAN ROIJ FASTENERS EUROPE B.V. Jan Tooropstraat 16 NL-5753 DK DEURNE
<b>Manufacturing plant(s)</b>	Laid down in non-published supplement to this ETA
<b>This European Technical Assessment contains</b>	359 pages including 4 Annexes, which form an integral part of this assessment.
<b>This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of</b>	EAD 030351-00-0402: Systems of mechanically fastened flexible roof waterproofing sheets
<b>This version replaces</b>	ETA-06/0007 version 2, issued on 01/08/2016

Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and should be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full (excepted the confidential Annex(es) referred to above). However, partial reproduction may be made, with the written consent of the issuing Technical Assessment Body. Any partial reproduction has to be identified as such.

## 1. Technical description of the product

The Eurofast® products are mechanical fasteners for waterproofing membranes, consisting of metal and synthetic washers with or without integrated sleeve, screws and pins. A survey of the products is given in Annex 1. Drawings of the products and combinations are given in Annex 4.

The fastening systems are marketed separately from the other components of roof waterproofing kits (membranes and possibly thermal insulations). This ETA covers only the characteristics of the Eurofast® fasteners. An additional ETA for roof water proofing systems according EAD 030351-00-0402 is necessary to determine the performance of the entire mechanically fixed roof water proofing systems.

The fasteners may be used for all types of waterproofing membranes. The supporting roof structure may consist of profiled steel decks, concrete, aerated concrete, or wood. Eurofast® may be used with membranes installed on a thermal insulation material or directly to the supporting roof underlay.

## 2. Specification of the intended use(s) in accordance with the applicable European Assessment Document (hereinafter EAD)

### Installation and design

#### *General*

The fitness for use of this component can only be assumed if installation is carried out according to the manufacturer's instructions. The manufacturer's installation guide forms part of this ETA.

It is the responsibility of the manufacturer to guarantee that the information on the application of its products is correctly given to the users.

#### *Fasteners*

In Annex 2 the installation instructions for the screws are given. These refer to depth in or below the substructure, the tools and the weight of the tools and the speed (rounds per minute). Care should be taken to vertical positioning of the screws.

#### *Substrates*

The substrate onto which the waterproofing kit is to be laid should be sufficiently rigid, dense and dimensionally stable to support the system (membrane and insulation).

In order to support the loads imposed by traffic, insulation materials for use in warm decks should be capable of resisting permanent deformation or damage when subjected to concentrated loads. They should have a dust-free surface and sufficient laminar strength to resist with a margin of safety any stress imposed by wind uplift forces.

When insulation materials with a compressibility of  $<0.1\text{Nmm}^{-2}$  (at 10% compression) are used, the membrane may be penetrated by the fastener. This may be prevented by using the "Treadsave" fastener.

#### *Roof materials*

The following is a list of recommendations for roof deck materials to receive the mechanically fastened roof waterproofing system.

- *Reinforced concrete:* Where a roof slab of reinforced concrete is designed as the deck, which will directly support the waterproofing, it is preferable to lay the slab to provide adequate drainage falls and adequate provision should be made for drying out the slab.

A concrete surface, which is not adequately smooth, or does not provide even drainage falls, should be screeded. The surface of the concrete should be finished with a wood float to provide a reasonably smooth surface free from ridges and hollows.

- **Aerated concrete:** The anchoring depth must be minimum 60 mm. Pullout tests are always recommended in light weight concrete.
- **Profiled metal decking:** Metal decking does not provide a continuous supporting surface for the waterproofing system; therefore, metal decking shall always be used in conjunction with a continuous support, e.g. insulation material. The thickness of the metal decking shall not be less than 0.70 mm.
- **Timber boarding, including OSB:** Roof decks of timber boarding should be designed using naturally durable wood or durably treated wood. Any method of treatment should be compatible with the kit components. Boarding should not be less than 18 mm nominal thickness, planed, closely clamped together with tongued and grooved joints or closely butted and secured by nailing with nail heads not protruding.
- **Plywood:** Roof decks of plywood should be specified as "water boil proof" bonded veneer plywood and durable or treated with a compatible preservative and should not be less than 19 mm nominal thickness. Plywood for roof decks may be square edged or tongued and grooved. Longitudinal joints should occur on the centre of supporting joists. Cross joists should be staggered and in the case of square edged boarding additional support is required, such as the use of noggins.

If there is doubt about the suitability of the substrate, e.g. on a construction site, a pullout test on site should be performed to verify the performance of the kit (see Annex 2 of EAD 030351-00-0402, Axial loading test). Furthermore, care should be taken during design that bimetallic corrosion between metal parts, especially between the substrate and the screw, does not occur. Likewise, the use of insulation materials containing substances which can affect the performance of the fasteners shall be avoided.

#### *Packaging, transport and storage*

The fasteners shall be handled and stored with care and be protected from accidental damage.

#### *Execution of works*

The fasteners shall be installed in accordance with the installation instructions from Van Roij Fasteners Europe B.V. by competent roofing contractors.

#### *Maintenance and repair*

The fasteners need no special maintenance.

When replacing fasteners they shall be approved by the manufacturer and covered by the ETA.

### **3. Performance of the product and references to the methods used for its assessment**

#### **1.1 Mechanical resistance and stability (ER1)**

Not relevant

#### **1.2 Safety in case of fire (ER2)**

Cannot determined for the separate fastening system. The reaction to fire is determined for complete waterproofing kits including the membrane and possibly insulation.

**1.3 Hygiene, health and the environment (ER3)****Release of dangerous substances**

According to the manufacturer's declaration these products do not contain any dangerous substances according to the EU database.

**1.4 Safety and accessibility in use (ER4)**

The characteristic values of the axial load resistance of the fasteners are given in Annex 3. The fastening systems do not show unwinding phenomena, taking into account the satisfactory field experience. The wind uplift performance of roof waterproofing kits is mainly determined by the roofing membranes. A large number of full scale wind load tests with bituminous and polymeric membranes using the fastening systems from this ETA have been executed in several supports. The complete test reports may be obtained from VAN ROIJ FASTENERS EUROPE BV.

**1.5 Protection against noise (ER5)**

Not relevant

**1.6 Energy economy and heat retention (ER6)**

Not relevant

**1.7 Aspects of durability**

The metal screws and washers used offer a corrosion resistance of 15 cycles according to EN-ISO 6988 ("Kesternich") and the interpretation of EAD 030351-00-402, paragraph 2.2.3.4 and Annex A2.4.

The plastic fasteners produced of polypropylene and polyamide meet the aspects of durability according to EAD030351-00-0402, paragraph 2.2.3.3 and Annex A2.3 (brittleness before and after ageing). The impact resistance was tested, using a drop height of 1000 mm.

**4. Assessment and verification of constancy of performance (hereinafter AVCP) system applied, with reference to its legal base**

According to Decision 98/143/EC by the European Commission, the system 2+ of assessment and verification of constancy of performance applies. See Annex V to Regulation (EU) No. 305/2011.

**5. Technical details necessary for the implementation of the AVCP system, as provided for in the applicable EAD**

Details concerning extend, type and frequency of the tests or inspections to be performed within the scope of the factory production control shall correspond to the prescribed control plan, deposited at SGS INTRON Certificatie B.V.

Issued in Culemborg on 09-10-2020

By

P. Crucq



TAB Representative

## ANNEX 1: SURVEY OF EUROFAST® RANGE

### 1. Steel Washers

Eurofast® Code	Dimensions <sup>1)</sup> mm (L x W) or (Ø) x T - Ø hole	Eurofast® Code	Dimensions <sup>1)</sup> mm (L x W) or (Ø) x T - Ø hole
- DVP-DF-8240D	82 x 40 x 1.0 – 7.0	- DVP-EF-7007N	Ø 70 x 0.7 – 6.0
- DVP-EF-8240D	82 x 40 x 1.0 – 4.85	- DVP-EF-7007D	Ø 70 x 0.7 – 6.0
- DVP-DFB-8240D	82 x 40 x 1.0 – 7.0	- DVP-EF-7007H	Ø 70 x 0.7 – 6.0
- DVP-EFB-8240D	82 x 40 x 1.0 – 4.85	- DVP-EF-7010N	Ø 70 x 1.0 – 7.0
- DVP-DFB-8240H	82 x 40 x 1.0 – 7.0	- DVP-EF-7010D	Ø 70 x 1.0 – 7.0
- DVP-EFB-8240H	82 x 40 x 1.0 – 4.85	- DVP-EF-7010DFR	Ø 70 x 1.0 – 4.85
- DVP-DF-8240R	82 x 40 x 1.0 – 7.0	- DVP-DF-7070D	70 x 70 x 1.0 – 7.0
- DVP-EF-8240R	82 x 40 x 1.0 – 4.85	- DVP-EF-7070D	70 x 70 x 1.0 – 4.85
- DVP-DFB-8040D	82 x 40 x 1.0 – 7.0	- DVP-EF-8040N	80 x 40 x 1.0 – 7.0
- DVP-EFB-8040D	82 x 40 x 1.0 – 4.85	- DVP-EF-8040H	82 x 40 x 1.0 – 7.0
- DVP-EFZK-8240D	82 x 40 x 1.0 – 4.85	- DVP-EF-8040XH	82 x 40 x 1.0 – 7.0
- DVP-EF-4010N	Ø 40 x 1.0 – 6.0	- DVP-EF-8040D	80 x 40 x 1.0 – 7.0
- DVP-EF-4010N3	Ø 40 x 1.0 – Starsh.	- DVP-EF-7005N/D	Ø 70 x 0.5 – 5.0
- DVP-EF-5010N	Ø 50 x 1.0 – 6.3	- DVP-EFB-51NS	Ø 51 x 0.84 – 5.4
- DVP-EF-5010D	Ø 50 x 1.0 – 6.3	- DVP-EF-51N	Ø 51 x 0.84 – 6.7
- DVP-EF-5010DFR	Ø 50 x 1.0 – 4.85	- EDF-BAR-F/FB	2250 x 30 – 4.85/8.00
- DVP-K-4040H	40 x 40 x 0,8 – 5.0	- DVPKMT-8240	82 x 40 x 1.0 – 13.6
- ISPC-70N	Ø 70 x 0.5 – 12.0	- DVP-EF-8240XH	82 x 40 x 1.0 – 4.85
- DVP-DF-8240H	82 x 40 x 1.0 – 7.0	- DVP-EF-8240H	82 x 40 x 1.0 – 4.85
- DVP-DF-8240XH	82 x 40 x 1.0 – 7.0		

1) Detailed drawings, included tolerances are deposited in the MTD

2) Characters refer to profile type: N = normal; D = deep; H = high

All Eurofast® steel washers are provided with the sign: EF

### 2. Plastic Washers

Eurofast® Code	Dimensions mm (L x W) or (Ø)	Eurofast® Code	Dimensions mm (L x W) or (Ø)
TWP-8040Lxxx	80 x 40	TRP-75L065	Ø 75
TLK-45xxx	Ø 45	ISPC-50xxx	Ø 50
TLK-75xxx	Ø 75	ISPC-A2	Ø 50
TRP-45Lxxx	Ø 45	KMT	Ø 15
BTRP-45Lxxx	Ø 45	BIO-45-L	Ø 45

All plastic washers are provided with the mark: Eurofast®

Eurofast® Code	Dimensions <sup>1)</sup> Ø (mm) L range (mm)	Head	Point	Application
- EAS-63100	Ø 6.3, 100 - 180	Torx T-25	Blunt	Concrete
- EDS-S-48	Ø 4.8, 30 – 300	PH 2 Bugle	Sharp 25°	Steel decks 0,7 – 0,88 mm
- EDS – BZT/BGT-48 <sup>2)</sup>	Ø 4.8, 60 – 300	HWH 8 mm	Self drilling	Steel decks 0,7 - 2 x 1,25 mm/ wood, min. thickness 19 mm
- EDS-BZTR/BGTR-48	Ø 4.8, 120 - 300	HWH 8 mm	Self drilling	Steel decks 0,7 - 2 x 1,25 mm
- EDS-BZTHD/BGTHD -48	Ø 4.8, 140 – 300	HWH 8 mm	Self drilling	Steel decks ≤ 3 mm
- EDS-SRB-48	Ø 4.8, 60 – 300	Oval head Torx25	Self drilling	Steel decks 0,7 - 2 x 1,25 mm
- EDS-B-48	Ø 4.8, 35 – 300	PH 2 Bugle/ Tx25 Reduced Bugle	Self drilling	Wood, min. thickness 19 mm / Steel decks 0,7 - 2 x 1,25 mm
- EDS-B-55	Ø 5.5, 50 - 210	Tx25 Reduced Bugle	Self drilling	Wood, min. thickness 19 mm / Steel decks 0,7 - 2 x 1,25 mm
- EFHD-63	Ø 6.3, 60 - 400	Torx T-25 RSD Bugle	Ricoh point	Concrete / Steel decks 0,7-0,88 mm / Wood
- DFHD-67	Ø 6.7, 32	PANHEAD PH3	Self drilling	Steel decks,
- DFCF-63	Ø 6.3, 32 –305	HWH 8 mm	Nail point	Concrete
- EFR-63	Ø 6.3, 28 - 300	Torx T-25 PH	Blunt	Concrete
- GBSA2-60	Ø 6.0, 80 - 200	PH 2 Bugle	Sharp 25°	Aerated Concrete
- GBS-60	Ø 6.0, 60 - 200	PH 2 Bugle/ Tx25 Reduced Bugle	Sharp 25°	Aerated Concrete
- GBS-80	Ø 8.0, 65 - 190	Tx25 Reduced Bugle	Sharp 25°	Aerated Concrete
- EDS-H-50	Ø 5.0, 20 - 120	PH 2 Bugle	Sharp 25°	Wood, min. thickness 19 mm



1) Detailed drawings, included tolerances are deposited in the MTD.

2) T refers to safe tread










All Eurofast® fasteners are provided with the sign: EF

## ANNEX 2: INSTALLATION INSTRUCTIONS

Description	Techn. Data	Product lay-out	L1	Cross-section	Penetration	Tool	RPM	View
<b>EUROFAST®</b> Deck Screw with 5-Point trumpet-head EDS-S	4.8 x Length Carbonsteel Magni-Silver coated						30 KIE -2500	
<b>EUROFAST®</b> Deck Screw with Drill-Point trumpet-head EDS-B-48	4.8 x Length Carbonsteel Magni-Silver coated						30 KIE -2500	
<b>EUROFAST®</b> Deck Screw with Drill-Point trumpet-head EDS-B-55	5.5 x Length Carbonsteel Magni-Silver coated						30 KIE -2500	
<b>EUROFAST®</b> Deck Screw with Drill-Point trumpet-head EDS-SRB	4.8 x Length Bi-Metal (RVS/A4) Zinc plated coated						30 KG -2500	

Description	Techn. Data	Product lay-out	L1	Cross-section	Penetration	Tool	RPM	View
<b>EUROFAST®</b> Deck Screw with DrillPoint hex-washer head "step-secure" EDS-BZT1 EDSBZT1 EDSBZTHD/ EDSBGTHD	4.8 x Length Carbonsteel Magni-Silver coated				P=20 mm		30 KG ~2500	
<b>EUROFAST®</b> Deck Screw with DrillPoint hex-washer head "step-secure" EDS-BZTR/ EDSBGTR	4.8 x Length B-Metal (RV5 A4) Zinc plated coated				P=20 mm		30 KG ~2500	
<b>EUROFAST®</b> Deck Screw with DrillPoint hex-washer head "step-secure" EDS-BZT1 EDSBZT1	6.3 x Length Carbonsteel Magni-Silver coated				P=20 mm		15 KG = 16t ~1000	
<b>EUROFAST®</b> Deck Screw with DrillPoint trompson-head EFHD	6.7 x Length Carbonsteel Magni-Bloc coated				P=20 mm		30 KG ~2500	
<b>EUROFAST®</b> Deck Screw with reduced drillpoint EFHD	6.7 x Length Carbonsteel Magni-Bloc coated				P=20 mm		15 KG ~2500	
<b>EUROFAST®</b> Deck Screw with S-Point trompson-head EDS-H	5.0 x Length Carbonsteel Magni-Silver coated				P= min. 18mm		30 KG ~2500	
<b>EUROFAST®</b> Deck Screw with DrillPoint trompson-head EDS-B-4P	4.8 x Length Carbonsteel Magni-Silver coated				P= min. 18mm		30 KG ~2500	

Description	Techn. Data	Product lay-out	L1	Cross-section	Penetration	Tool	RPM	View
<b>EUROFAST®</b> Deck Screw with Drill Point trumpet-head EDS-B-55	5.5 x Length Carbonsteel Magni-Silver coated			30 KG		-	-	
<b>EUROFAST®</b> Deck Screw with Drill Point hex-washer head "step-secure" EDS-BZT / EDS-BGT	4.8 x Length Carbonsteel Magni-Silver coated			30 KG		-	-	
<b>EUROFAST®</b> Deck Screw with S-Point trumpet-head GBS-60	6.0 x Length Carbonsteel Magni-Silver coated			15 KG		-	-	
<b>EUROFAST®</b> Deck Screw with S-Point trumpet-head GBS-60	6.0 x Length Carbonsteel Magni-Silver coated			15 KG		-	-	
<b>EUROFAST®</b> Deck Screw with S-Point trumpet-head GBS-A2	6.0 x Length RV5A2 Riveted			15 KG		-	-	
<b>EUROFAST®</b> Deck Screw with S-Point trumpet-head GBS-A2	8.0 x Length Carbonsteel Magni-Silver coated			15 KG		-	-	

Description	Techn. Data	Product lay-out	L1	Cross-section	Penetration	Tool	RPM	View
<b>EUROFAST®</b> Deck Screw with Fluted-Point trumpet-head ERD	6.3 x Length Carbonated Magni-Silver coated				(5) KEG + hit			
<b>EUROFAST®</b> Deck Screw with Blunt-Point cylinder-head EPR	6.3 x Length Carbonated Magni-Silver coated				(5) KEG + hit			
<b>EUROFAST®</b> Deck Screw with Nail-Point trumpet-head DFCF	6.0 x Length Carbonated Magni-Silver coated				(5) KEG + hit			
<b>EUROFAST®</b> Deck Screw with S-Point trumpet-head ISPC	8.0 x Length Polyamide PA6 Crapal-Zinc plated				(5) KEG + hit			
<b>EUROFAST®</b> Deck Screw with S-Point trumpet-head ISPC-A2	8.0 x Length Polyamide PA6 RVS A2				(5) KEG + hit			

**ANNEX 3A: AXIAL LOAD RESISTANCE CHARACTERISTIC VALUES, METAL DECKS, EXPRESSED IN N**

Washers	EDS-S-48	EFHD 63	EDS-BZT/ BGT-48	EDS-BZTR/ BGTR-48	SCREWS			EDS-BZTHD/ BGTHD-48	DFHD-67
				METAL WASHERS	EDS-SRB-48	EDS-B-48	EDS-B-55		
DVP-EF/DF-8240D/R	1370	1320	1230	1090	1030	1390	1320	1680	
DVP-EF/B/DFB-8240D/H	1280	1280	1280	1090	1030	1280	1280	1280	
DVPEFZK8240D			1340	1090					4150
DVP-EF-5010N/D	1370	1320	1320	1090	1030	1390	1320	1940	1860
DVP-EF-5010DFR	1370								
DVP-K-4040H	1490								
DVP-EF-7007N/D/H	1490	1320	1340	1090	1030	1390	1320	3910	
DVP-EF-7010N/D	1490	1320	1340	1090	1030	1390	1320	3910	1860
DVP-EF-7010DFR	1490								
DVP-EF/DF-7070 D			1340	1090					3910
DVP-EF-8040D/N	1490	1320	1320	1090	1030	1310	1320	3510	
DVP-EF-8240H/XH	1490		1320	1090	1030	1310	1310	3510	
DVP-EF-7005D/N	1290				1030	1290	1290		
DVP-DF-8240H/XH	1490	1320	1320	1090	1030	1310	1320	3510	
DVP-EFB-51NS	1490	1320			1030	1390	1320	3510	1860
DVP-EF-51N	1490	1320			1030	1390	1320	3510	1860
EDF-BAR/F/B	1110	1110	1110	1110	1030	1110	1110	1110	1110
KMT/DVPKMT-8240	1490	1320			1490	1490	1490	1490	
<b>PLASTIC WASHERS</b>									
TWP-8040xxx	1160				1030	1160	1160		
TLK45xxx	1260				1030	1260	1260		
TLK-75xxx	1260				1030	1260	1260		
TRP-45xxx	1260				1030	1260	1260		
BTRP-45xxx	1260				1030	1260	1260		
BTIO-45xxx	1260				1030	1260	1260		
<b>SUBSTRUCTURE</b>	<b>STEEL DECK<sup>1)</sup></b> <b>0,7 - 0,88 mm</b>			<b>STEEL DECK</b> <b>0,7 - 2x1,25 mm mm</b>			<b>STEEL DECK</b> <b>3,0 mm</b>	<b>STEEL DECK</b> <b>0,63 - 2 x 1,25 mm</b>	
Possible combination	No combination								

<sup>1)</sup> Steel sheets, galvanized. Grade S320 according to EN 10346 or higher have to be used

**ANNEX 3A: AXIAL LOAD RESISTANCE CHARACTERISTIC VALUES, (AERATED) CONCRETE AND WOOD, EXPRESSED IN N.**

Washers	GBSA2-60	GBS-60	GBS-80	ISPC	EFHD-63	DFCF-63	EAS-63	EDS-B-48	EDS-BZT/ BGT -48	EDS-B-55	EDS-H-50	EFHD-63
	SCREWS											
	METAL WASHERS											
DVP-EF/DF-8240D/R	1680	1440			1680	1680						1680
DVP-EF/B/DFB-8240D/H	1280	1280			1280	1280			1280	1280		1280
DVPEFZK8240D										1330	1330	1330
DVP-EF-4010N/N3	1200	1200			1490	1940	1720		1330	1330	1330	1330
DVP-EF-5010N/D	1940	1440			3510	3910	1720		1330	1330	1330	1330
DVP-EF-5010DFR	1940	1440			3510	3910	1720		1330	1330	1330	1330
DVP-EF-7007N/D/H	1940	1440			3510	3910	1720		1330	1330	1330	1330
DVP-EF-7010N/D	1940	1440			3510	3910	1720		1330	1330	1330	1330
DVP-EF-7010DFR	1940	1440			3510	3910	1720		1330	1330	1330	1330
DVP-EF/DF-7070 D	1940	1440			3510	3910	1720		1330	1330	1330	1330
DVP-EF-8240H/XH									1330	1330	1330	1330
DVP-EF-7005D/N									1290	1290	1290	1290
DVP-DF-8240H/XH	1940	1940			3510	3910	1720		1330	1330	1330	1330
DVP-EFB-51NS	1860	1440			1860	1860	1720		1330	1330	1330	1330
DVP-EF-51N	1860	1440			1860	1860	1720		1330	1330	1330	1330
EDF-BAR-F/FB	1110	1110	1110		1110	1110	1110		1110	1110	1110	1110
KMT/DVPKMT-8240	1490	1440			1490	1490	1490		1330	1330	1330	1330
	PLASTIC WASHERS											
TWP-8040xxx									1160	1160	1160	1160
TLK-45xxx	1720	1390	1390		1510	1260	1540		1330	1330	1330	1330
TLK-75xxx	1150	1150	1150		1510	1260	1540		1150	1150	1150	1150
TRP-45xxx					2990	1260	3000		1260	1260	1260	1260
BTRP-45xxx	1510	1440			2990	1260	3000		1260	1260	1260	1260
BIO-45xxx						1260	1260					1260
SUBSTRUCTURE AERATED CONCRETE <sup>1)</sup>												
ISPC-50xxx					1650							
ISPC-70N					1750							
ISPC-A2					1720							
CONCRETE <sup>2)</sup>												
Possible combination	No combination											
WOOD <sup>3)</sup>												

Possible combination No combination

1) Nominal characteristic values are based on concrete substrates of strength class C20/25.

2) Nominal dry density ( $\rho$ ) of the aerated concrete is  $615 \text{ kg/m}^3$ . Characteristic compressive strength  $f'_{ck}$  of the aerated concrete is  $4,8 \text{ N/mm}^2$ .

3) Nominal dry density of the wood is  $593 \text{ kg/m}^3$ .

**ANNEX 4: DRAWINGS - CONTENTS**

<b>EUROFAST® WASHER</b>	<b>PAGE</b>						
DVCF 6,3 x L	18	DVP-EF-7010D	52	DVP-EF-7010D	86	DVP-EF-7010D	86
DVCF 6,3 x L	19	DVP-EF-7007N	53	DVP-EF-7007N	87	DVP-EF-7007N	87
DVCF 6,3 x L	20	DVP-EF-7007H	54	DVP-EF-7007H	88	DVP-EF-7007H	88
DVCF 6,3 x L	21	DVP-EF-7007D	55	DVP-EF-7007D	89	DVP-EF-7007D	89
DVCF 6,3 x L	22	DVP-EF-7005N	56	DVP-EF-7005N	90	DVP-EF-7005N	90
DVCF 6,3 x L	23	DVP-EF-7005D	57	DVP-EF-7005D	91	DVP-EF-7005D	91
DVCF 6,3 x L	24	DVP-EF-5010N	58	DVP-EF-5010N	92	DVP-EF-5010N	92
DVCF 6,3 x L	25	DVP-EF-5010DFR	59	DVP-EF-5010DFR	93	DVP-EF-5010DFR	93
DVCF 6,3 x L	26	DVP-EF-5010D	60	DVP-EF-5010D	94	DVP-EF-5010D	94
DVCF 6,3 x L	27	DVP-EF-5IN	61	DVP-EF-5IN	95	DVP-EF-5IN	95
DVCF 6,3 x L	28	DVP-DFB8240D	62	DVP-DFB8240D	96	DVP-DFB8240D	96
DVFB-5INS	29	DVP-DF8240XH	63	DVP-DF8240XH	97	DVP-DF8240XH	97
DVFP-EF-7010N	30	DVP-DF-8240R	64	DVP-DF-8240R	98	DVP-DF-8240R	98
DVFP-EF-7010D	31	DVP-DF-8240H	65	DVP-DF-8240H	99	DVP-DF-8240H	99
DVFP-EF-5010N	32	DVP-DF-8240D	66	DVP-DF-8240D	100	DVP-DF-8240D	100
DVFP-EF-51N	33	DVP-DF-7070D	67	DVP-DF-7070D	101	DVP-DF-7070D	101
BIO-45-L	34	BTRP-45 x L	68	BIO-45-L	102	BIO-45-L	102
TWP-8040	35	TWP-8040	69	BTRP-45 x L	103	BTRP-45 x L	103
TRP-45 x L	36	TRP-45 x L	70	DVP-EFZK-8240D	104	DVP-EFZK-8240D	104
TLK-75	37	TLK-75	71	DVP-EFB-8240D	105	DVP-EFB-8240D	105
TLK-45 x L	38	TLK-45 x L	72	DVP-EF-8240XH	106	DVP-EF-8240XH	106
KMT-15 + DVPKMT-8240D	39	KMT-15 + DVPKMT-8240D	73	DVP-EF-8240D	107	DVP-EF-8240D	107
EDF-BAR-FB 30 x 2250	40	EDF-BAR-FB 30 x 2250	74	DVP-EF-8040D	108	DVP-EF-8040D	108
EDF-BAR-F 30 x 2250	41	EDF-BAR-F 30 x 2250	75	DVP-EF-7070D	109	DVP-EF-7070D	109
DVPEFZK8240D	42	DVPEFZK8240D	76	DVP-EF-7010D	110	DVP-EF-7010D	110
DVPEF8240D	43	DVP-EF8240D	77	DVP-EF-7007H	111	DVP-EF-7007H	111
DVPEF-5INS	44	DVP-EFB-5INS	78	DVP-EF-7007D	112	DVP-EF-7007D	112
DVPEF-8240XH	45	DVP-EF-8240XH	79	DVP-EF-5010D	113	DVP-EF-5010D	113
DVPEF-8240D	46	DVP-EF-8240D	80	DVP-DFB-8240D	114	DVP-DFB-8240D	114
DVPEF-8040N	47	DVP-EF-8040N	81	DVP-DF-8240XH	115	DVP-DF-8240XH	115
DVPEF-8040D	48	DVP-EF-8040D	82	DVP-DF-8240R	116	DVP-DF-8240R	116
DVPEF-7070D	49	DVP-EF-7070D	83	DVP-DF-8240D	117	DVP-DF-8240D	117
DVPEF-7010N	50	DVP-EF-7010N	84	DVP-DF-7070D	118	DVP-DF-7070D	118
DVPEF-7010DFR	51	DVP-EF-7010DFR	85	EDF-BAR-FB 30 x 2250	119	EDF-BAR-FB 30 x 2250	119

<b>EUROFAST® WASHER</b>	<b>EUROFAST® FASTENER</b>	<b>PAGE</b>	<b>EUROFAST® WASHER</b>	<b>PAGE</b>	<b>EUROFAST® FASTENER</b>	<b>PAGE</b>	<b>EUROFAST® WASHER</b>	<b>PAGE</b>	<b>EUROFAST® FASTENER</b>	<b>PAGE</b>	<b>EUROFAST® WASHER</b>	<b>PAGE</b>
EDF-BAR-F 30 x 2250	EDS-BZTHD 4,8 x L	120	DVP-DF-7070D	EDS-BZTR/BGTR 4,8 x L	155	TWP-8040	EDS-S 4,8 x L	190				
DVP-EFZK-8240D	EDS-BZT/BGTR 4,8 x L	121	EDF-BAR-FB 30 x 2250	EDS-BZTR 4,8 x L	156	TRP-45 x L	EDS-S 4,8 x L	191				
DVP-EFB-8240D	EDS-BZT/BGTR 4,8 x L	122	EDF-BAR-F 30 x 2250	EDS-BZTR 4,8 x L	157	TLK-75	EDS-S 4,8 x L	192				
DVP-EF-8240XH	EDS-BZT/BGTR 4,8 x L	123	BIO-45-L	EDS-H 5,0 x L	158	TLK-45 x L	EDS-S 4,8 x L	193				
DVP-EF-8240D	EDS-BZT/BGTR 4,8 x L	124	TWP-8040	EDS-H 5,0 x L	159	KMT-15 + DVP-KMT-8240D	EDS-S 4,8 x L	194				
DVP-EF-8040D	EDS-BZT/BGTR 4,8 x L	125	TRP-45 x L	EDS-H 5,0 x L	160	EDF-BAR-FB 30 x 2250	EDS-S 4,8 x L	195				
DVP-EF-7070D	EDS-BZT/BGTR 4,8 x L	126	TLK-75	EDS-H 5,0 x L	161	EDF-BAR-F 30 x 2250	EDS-S 4,8 x L	196				
DVP-EF-7010DFR	EDS-BZT/BGTR 4,8 x L	127	TLK-45 x L	EDS-H 5,0 x L	162	DVP-K-4040H	EDS-S 4,8 x L	197				
DVP-EF-7010D	EDS-BZT/BGTR 4,8 x L	128	KMT-15 + DVP-KMT-8240D	EDS-H 5,0 x L	163	DVP-EFB-8240D	EDS-S 4,8 x L	198				
DVP-EF-7007H	EDS-BZT/BGTR 4,8 x L	129	EDF-BAR-FB 30 x 2250	EDS-H 5,0 x L	164	DVP-EFB-51NS	EDS-S 4,8 x L	199				
DVP-EF-7007D	EDS-BZT/BGTR 4,8 x L	130	EDF-BAR-F 30 x 2250	EDS-H 5,0 x L	165	DVP-EF-8240XH	EDS-S 4,8 x L	200				
DVP-EF-7005D	EDS-BZT/BGTR 4,8 x L	131	DVP-EFB-8240D	EDS-H 5,0 x L	166	DVP-EF-8240D	EDS-S 4,8 x L	201				
DVP-EF-5010DFR	EDS-BZT/BGTR 4,8 x L	132	DVP-EFZK-8240D	EDS-H 5,0 x L	167	DVP-EF-8040N	EDS-S 4,8 x L	202				
DVP-EF-5010D	EDS-BZT/BGTR 4,8 x L	133	DVP-EFB-51NS	EDS-H 5,0 x L	168	DVP-EF-8040D	EDS-S 4,8 x L	203				
DVP-EFB-8240D	EDS-BZT/BGTR 4,8 x L	134	DVP-EF-8240XH	EDS-H 5,0 x L	169	DVP-EF-7010N	EDS-S 4,8 x L	204				
DVP-DF-8240XH	EDS-BZT/BGTR 4,8 x L	135	DVP-EF-7070D	EDS-H 5,0 x L	170	DVP-EF-7010DFR	EDS-S 4,8 x L	205				
DVP-DF-8240R	EDS-BZT/BGTR 4,8 x L	136	DVP-EF-7010N	EDS-H 5,0 x L	171	DVP-EF-7010D	EDS-S 4,8 x L	206				
DVP-DF-8240D	EDS-BZT/BGTR 4,8 x L	137	DVP-EF-7010DFR	EDS-H 5,0 x L	172	DVP-EF-7007N	EDS-S 4,8 x L	207				
DVP-DF-7070D	EDS-BZT/BGTR 4,8 x L	138	DVP-EF-7010D	EDS-H 5,0 x L	173	DVP-EF-7007H	EDS-S 4,8 x L	208				
EDF-BAR-FB 30 x 2250	EDS-BZT 4,8 x L	139	DVP-EF-7007H	EDS-H 5,0 x L	174	DVP-EF-7007D	EDS-S 4,8 x L	209				
EDF-BAR-F 30 x 2250	EDS-BZT 4,8 x L	140	DVP-EF-7007D	EDS-H 5,0 x L	175	DVP-EF-7005N	EDS-S 4,8 x L	210				
DVP-EFZK-8240D	EDS-BZTR/BGTR 4,8 x L	141	DVP-EF-7005N	EDS-H 5,0 x L	176	DVP-EF-7005D	EDS-S 4,8 x L	211				
DVP-EFB-8240D	EDS-BZTR/BGTR 4,8 x L	142	DVP-EF-7005D	EDS-H 5,0 x L	177	DVP-EF-5010N	EDS-S 4,8 x L	212				
DVP-EF-8240XH	EDS-BZTR/BGTR 4,8 x L	143	DVP-EF-5010N	EDS-H 5,0 x L	178	DVP-EF-5010DFR	EDS-S 4,8 x L	213				
DVP-EF-8240D	EDS-BZTR/BGTR 4,8 x L	144	DVP-EF-5010DFR	EDS-H 5,0 x L	179	DVP-EF-5010D	EDS-S 4,8 x L	214				
DVP-EF-8040D	EDS-BZTR/BGTR 4,8 x L	145	DVP-EF-5010D	EDS-H 5,0 x L	180	DVP-EF-51N	EDS-S 4,8 x L	215				
DVP-EF-7070D	EDS-BZTR/BGTR 4,8 x L	146	DVP-EF-4010N3	EDS-H 5,0 x L	181	DVP-DFB-8240D	EDS-S 4,8 x L	216				
DVP-EF-7010D	EDS-BZTR/BGTR 4,8 x L	147	DVP-EF-4010N	EDS-H 5,0 x L	182	DVP-DF-8240XH	EDS-S 4,8 x L	217				
DVP-EF-7007H	EDS-BZTR/BGTR 4,8 x L	148	DVP-EF-51N	EDS-H 5,0 x L	183	DVP-DF-8240R	EDS-S 4,8 x L	218				
DVP-EF-7007D	EDS-BZTR/BGTR 4,8 x L	149	DVP-DFB-8240D	EDS-H 5,0 x L	184	DVP-DF-8240H	EDS-S 4,8 x L	219				
DVP-EF-5010D	EDS-BZTR/BGTR 4,8 x L	150	DVP-DF-8240XH	EDS-H 5,0 x L	185	DVP-DF-8240D	EDS-S 4,8 x L	220				
DVP-EFB-8240D	EDS-BZTR/BGTR 4,8 x L	151	DVP-DF-8240H	EDS-H 5,0 x L	186	BTRP-45 x L	EDS-S 4,8 x L	221				
DVP-EF-8240XH	EDS-BZTR/BGTR 4,8 x L	152	DVP-DF-7070D	EDS-H 5,0 x L	187	TWP-8040	EDSSRB 4,8 x L	222				
DVP-EF-8240R	EDS-BZTR/BGTR 4,8 x L	153	BTRP-45 x L	EDS-H 5,0 x L	188	TRP-45 x L	EDSSRB 4,8 x L	223				
DVP-DF-8240D	EDS-BZTR/BGTR 4,8 x L	154	BIO-45-L	EDS-S 4,8 x L	189	TLK-75	EDS-S 4,8 x L	224				

<b>EUROFAST® WASHER</b>	<b>PAGE</b>	<b>EUROFAST® FASTENER</b>	<b>PAGE</b>	<b>EUROFAST® WASHER</b>	<b>PAGE</b>	<b>EUROFAST® FASTENER</b>	<b>PAGE</b>	<b>EUROFAST® WASHER</b>	<b>PAGE</b>	<b>EUROFAST® FASTENER</b>	<b>PAGE</b>
TLK- 45 x L	EDS-SRB 4,8 x L	225	DVP-EF-8040D	EFHD 6,3 x L	260	DVP-DF-8240H		EFR 6,3 x L		EFR 6,3 x L	295
KMT-15 + DVP-KMT-8240D	EDS-SRB 4,8 x L	226	DVP-EF-7010N	EFHD 6,3 x L	261	DVP-DF-8240D		EFR 6,3 x L		EFR 6,3 x L	296
EDF-BAR-FB 30 x 2250	EDS-SRB 4,8 x L	227	DVP-EF-7010D	EFHD 6,3 x L	262	DVP-DF-7070D		EFR 6,3 x L		EFR 6,3 x L	297
EDF-BAR-F 30 x 2250	EDS-SRB 4,8 x L	228	DVP-EF-7007N	EFHD 6,3 x L	263	BIO-45-L		EFR 6,3 x L		EFR 6,3 x L	298
DVP-EFB-8240D	EDS-SRB 4,8 x L	229	DVP-EF-7007H	EFHD 6,3 x L	264	BTRP-45 x L		EFR 6,3 x L		EFR 6,3 x L	299
DVP-EFB-51NS	EDS-SRB 4,8 x L	230	DVP-EF-7007D	EFHD 6,3 x L	265	ISPC Plug Ø50 x L		ISPC Nail A2 Ø4,35 x L		ISPC Nail A2 Ø4,35 x L	300
DVP-EF-8240XH	EDS-SRB 4,8 x L	231	DVP-EF-5010N	EFHD 6,3 x L	266	DVP-ISPC-70N		ISPC-A2 Ø50 x L		ISPC-A2 Ø50 x L	301
DVP-EF-8240D	EDS-SRB 4,8 x L	232	DVP-EF-5010D	EFHD 6,3 x L	267	DVP-SPC-70N		ISPC Ø50 x L		ISPC Ø50 x L	302
DVP-EF-8040N	EDS-SRB 4,8 x L	233	DVP-EF-51N	EFHD 6,3 x L	268	ISPC Plug Ø50 x L		ISPC Nail Ø4,35 x L		ISPC Nail Ø4,35 x L	303
DVP-EF-8040D	EDS-SRB 4,8 x L	234	DVP-DFB-8240D	EFHD 6,3 x L	269	TLK 075		GBSA2 6,0 x L		GBSA2 6,0 x L	304
DVP-EF-7010N	EDS-SRB 4,8 x L	235	DVP-DF-8240XH	EFHD 6,3 x L	270	TLK- 45 x L		GBSA2 6,0 x L		GBSA2 6,0 x L	305
DVP-EF-7010D	EDS-SRB 4,8 x L	236	DVP-DF-8240R	EFHD 6,3 x L	271	KMT-15 + DVP-KMT-8240D		GBSA2 6,0 x L		GBSA2 6,0 x L	306
DVP-EF-7007N	EDS-SRB 4,8 x L	237	DVP-DF-8240H	EFHD 6,3 x L	272	EDF-BAR-FB 30 x 2250		GBSA2 6,0 x L		GBSA2 6,0 x L	307
DVP-EF-7007H	EDS-SRB 4,8 x L	238	DVP-DF-8240D	EFHD 6,3 x L	273	EDF-BAR-F 30 x 2250		GBSA2 6,0 x L		GBSA2 6,0 x L	308
DVP-EF-7007D	EDS-SRB 4,8 x L	239	DVP-DF-7070D	EFHD 6,3 x L	274	DVP-EFB-51NS		GBSA2 6,0 x L		GBSA2 6,0 x L	309
DVP-EF-7006N	EDS-SRB 4,8 x L	240	BTRP-45 x L	EFHD 6,3 x L	275	DVP-EF-7010N		GBSA2 6,0 x L		GBSA2 6,0 x L	310
DVP-EF-7005D	EDS-SRB 4,8 x L	241	TRP-45 x L	EFHD 6,3 x L	276	DVP-EF-7010D		GBSA2 6,0 x L		GBSA2 6,0 x L	311
DVP-EF-5010N	EDS-SRB 4,8 x L	242	TRP-45 x L	EFR 6,3 x L	277	DVP-EF-7010DFR		GBSA2 6,0 x L		GBSA2 6,0 x L	312
DVP-EF-5010D	EDS-SRB 4,8 x L	243	TLK- 75	EFR 6,3 x L	278	DVP-EF-7007N		GBSA2 6,0 x L		GBSA2 6,0 x L	313
DVP-EF-51N	EDS-SRB 4,8 x L	244	TLK-45 x L	EFR 6,3 x L	279	DVP-EF-7007H		GBSA2 6,0 x L		GBSA2 6,0 x L	314
DVP-DFB-8240D	EDS-SRB 4,8 x L	245	KMT-15 + DVP-KMT-8240D	EFR 6,3 x L	280	DVP-EF-7007D		GBSA2 6,0 x L		GBSA2 6,0 x L	315
DVP-DF-8240XH	EDS-SRB 4,8 x L	246	EDF-BAR-FB 30 x 2250	EFR 6,3 x L	281	DVP-EF-5010N		GBSA2 6,0 x L		GBSA2 6,0 x L	316
DVP-DF-8240R	EDS-SRB 4,8 x L	247	EDF-BAR-F 30 x 2250	EFR 6,3 x L	282	DVP-EF-5010D		GBSA2 6,0 x L		GBSA2 6,0 x L	317
DVP-DF-8240H	EDS-SRB 4,8 x L	248	DVP-EFB-51NS	EFR 6,3 x L	283	DVP-EF-5010DFR		GBSA2 6,0 x L		GBSA2 6,0 x L	318
DVP-DF-8240D	EDS-SRB 4,8 x L	249	DVP-EF-7010N	EFR 6,3 x L	284	DVP-EF-4010N		GBSA2 6,0 x L		GBSA2 6,0 x L	319
BIO-45-L	EDS-SRB 4,8 x L	250	DVP-EF-7010D	EFR 6,3 x L	285	DVP-EF-51N		GBSA2 6,0 x L		GBSA2 6,0 x L	320
BTRP-45 x L	EDS-SRB 4,8 x L	251	DVP-EF-7007N	EFR 6,3 x L	286	DVP-DFB-8240D		GBSA2 6,0 x L		GBSA2 6,0 x L	321
TWP-8040	EFHD 6,3 x L	252	DVP-EF-7007H	EFR 6,3 x L	287	DVP-DF-8240R		GBSA2 6,0 x L		GBSA2 6,0 x L	322
TLK- 75	EFHD 6,3 x L	253	DVP-EF-7007D	EFR 6,3 x L	288	DVP-DF-8240H		GBSA2 6,0 x L		GBSA2 6,0 x L	323
TLK- 45 x L	EFHD 6,3 x L	254	DVP-EF-5010N	EFR 6,3 x L	289	DVP-DF-8240D		GBSA2 6,0 x L		GBSA2 6,0 x L	324
KMT-15 + DVP-KMT-8240D	EFHD 6,3 x L	255	DVP-EF-5010D	EFR 6,3 x L	290	DVP-DF-7070D		GBSA2 6,0 x L		GBSA2 6,0 x L	325
EDF-BAR-FB 30 x 2250	EFHD 6,3 x L	256	DVP-EF-51N	EFR 6,3 x L	291	BIO-45-L		GBSA2 6,0 x L		GBSA2 6,0 x L	326
EDF-BAR-F 30 x 2250	EFHD 6,3 x L	257	DVP-DFB-8240D	EFR 6,3 x L	292	EDF-BAR-FB 30 x 2250		GBS-8,0 x L		GBS-8,0 x L	327
DVP-EFB-51NS	EFHD 6,3 x L	258	DVP-DF-8240XH	EFR 6,3 x L	293	EDF-BAR-F 30 x 2250		GBS-8,0 x L		GBS-8,0 x L	328
DVP-EF-8040N	EFHD 6,3 x L	259	DVP-DF-8240R	EFR 6,3 x L	294	TLK 075		GBS 8,0 x L		GBS 8,0 x L	329

Eurofast® Washer	Eurofast® Fastener	Page
TLK-45 x L	GBS 8,0 x L	330
BIO-45-L	GBS 6,0 x L	331
TLK-75	GBS 6,0 x L	332
TLK-45 x L	GBS 6,0 x L	333
KMT-15 + DVP-KMT-8240D	GBS 6,0 x L	334
EDF-BAR-F 30 x 2250	GBS 6,0 x L	335
EDF-BAR-F 30 x 2250	GBS 6,0 x L	336
DVP-EFB-51NS	GBS 6,0 x L	337
DVP-EF-7010N	GBS 6,0 x L	338
DVP-EF-7010D	GBS 6,0 x L	339
DVP-EF-7010DFR	GBS 6,0 x L	340
DVP-EF-7007N	GBS 6,0 x L	341
DVP-EF-7007H	GBS 6,0 x L	342
DVP-EF-7007D	GBS 6,0 x L	343
DVP-EF-5010N	GBS 6,0 x L	344
DVP-EF-5010D	GBS 6,0 x L	345
DVP-EF-5010DFR	GBS 6,0 x L	346
DVP-EF-4010N	GBS 6,0 x L	347
DVP-EF-51N	GBS 6,0 x L	348
DVP-DFB-8240D	GBS 6,0 x L	349
DVP-DF-8240XH	GBS 6,0 x L	350
DVP-DF-8240R	GBS 6,0 x L	351
DVP-DF-8240H	GBS 6,0 x L	352
DVP-DF-8240D	GBS 6,0 x L	353
DVP-DF-7070D	GBS 6,0 x L	354
TLK-75	EAS 6,3 x L	355
BTRP-45 x L	EAS 6,3 x L	356
BIO-45-L	EAS 6,3 x L	357
TLK-45 x L	EAS 6,3 x L	358
TRP-45 x L	EAS 6,3 x L	359



## ANNEX 4: DRAWINGS - CONTENTS

Range DFCF 6,3 L	Pages 18 to 28
Range DFHD 6,7 x 32	Pages 29 to 33
Range EDS-B-4,8 L	Pages 34 to 68
Range EDS-B-5,5 L	Pages 69 to 103
Range EDS-BZTHD/BGTHD 4,8 x L	Pages 104 to 120
Range EDS-BZT/BGT 4,8 x L	Pages 121 to 140
Range EDS-BZTR/BGTR 4,8 x L	Pages 141 to 157
Range EDS-H 5,0 x L	Pages 158 to 188
Range EDS-H 4,8 x L	Pages 189 to 221
Range EDS-SRB 4,8 L	Pages 222 to 251
Range EFHD 6,3 L	Pages 252 to 276
Range EFR 6,3 L	Pages 277 to 299
Range ISPC	Pages 300 to 303
Range GBSA2 6,0 x L	Pages 304 to 326
Range GBS-8,0 L	Pages 327 to 330
Range GBS-6,0 L	Pages 331 to 354
Range EAS 6,3 L	Pages 355 to 359






*Note: drawings are compressed to restrict document size. Full resolution pictures are available at Eurofast.*



Range DFCF 6,3 L

DVP-DF-7070D	DFCF 6,3 x L
--------------	--------------

<p>Eurofast DFCF 6,3 L</p>	<p>Eurofast DVP-DF-7070D</p>
<p>Combination: Eurofast DVP-DF-7070D Eurofast DFCF 6,3 L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

Eurofast DFCF  
6,3 x LEurofast  
DVP-EFB-51NS





Combination:  
Eurofast DVP-EFB-51NS  
Eurofast DFCF 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

# SGS





DVP-EF-7010N

DFCF 6,3 x L

Eurofast DFCF  
6,3 x LEurofast  
DVP-EF-7010N




Combination:  
Eurofast DVP-EF-7010N  
Eurofast DFCF 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast DFCF  
6,3 x LEurofast  
DVP-EF-7010D


Combination:  
Eurofast DVP-EF-7010D  
Eurofast DFCF 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


Eurofast DFCF  
6,3 x LEurofast  
DVP-EF-7007N

Combination:  
Eurofast DVP-EF-7007N  
Eurofast DFCF 6,3 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast DFCF  
6,3 x L




Eurofast  
DVP-EF-5010N




Combination:  
Eurofast DVP-EF-5010N  
Eurofast DFCF 6,3 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast DFCF  
6,3 x L







Eurofast  
DVP-EF-5010D








Combination:  
Eurofast DVP-EF-5010D  
Eurofast DFCF 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast DFCF  
6,3 x LEurofast  
DVP-DFB8240D





Combination:  
Eurofast DVP-DFB8240D  
Eurofast DFCF 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast DFCF  
6,3 x LEurofast  
DVP-DF8240XH





Combination:  
Eurofast DVP-DF8240XH  
Eurofast DFCF 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast DFCF  
6,3 x LEurofast  
DVP-DF-8240R

Combination:  
Eurofast DVP-DF-8240R  
Eurofast DFCF 6,3 x L

Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast DFCF  
6,3 x LEurofast  
DVP-DF-8240D


Combination:  
Eurofast DVP-DF-8240D  
Eurofast DFCF 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015





Range DFHD 6,7 x 32



DVP-EFB-51NS	DFHD 6,7 x 32
--------------	---------------



Eurofast DFHD  
6,7 x 32



Eurofast  
DVP-EFB-51NS




Combination:  
Eurofast DVP-EFB-51NS  
Eurofast DFHD 6,7 x 32

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



# SGS

DVP-EF-7010N


DFHD 6,7 x 32



Eurofast DFHD  
6,7 x 32




Eurofast  
DVP-EF-7010N




Combination:  
Eurofast DVP-EF-7010N  
Eurofast DFHD 6,7 x 32


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast DFHD  
6,7 x 32






Eurofast  
DVP-EF-7010D




Combination:  
Eurofast DVP-EF-7010D  
Eurofast DFHD 6,7 x 32



Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015





<p>Eurofast DFHD 6,7 x 32</p> 	<p>Eurofast DVP-EF-5010N</p> 
<p>Combination: Eurofast DVP-EF-5010N Eurofast DFHD 6,7 x 32</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast DFHD  
6,7 x 32



Eurofast  
DVP-EF-51N






Combination:  
Eurofast DVP-EF-51N  
Eurofast DFHD 6,7 x 32

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015









Range EDS-B-4,8 x L


BIO-45-L	EDS-B-4,8 x L
----------	---------------

	
 Eurofast EDS-B 4,8 x L	 Eurofast BIO-45-L
Combination: Eurofast BIO-45-L Eurofast EDS-B-4,8 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015


<b>Eurofast EDS-B 4,8 x L</b> 	<b>Eurofast TWP-8040</b> 
Combination: Eurofast TWP-8040 Eurofast EDS-B-4,8 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

	
<p><b>Eurofast EDS-B 4,8 x L</b></p>  <p>TX 25</p>	<p><b>Eurofast TRP-45</b></p>  <p>ø 9</p> <p>ø 4,8</p> <p>L</p> <p>L</p> <p>ø 45</p>
<p>Combination: Eurofast TRP-45 x L Eurofast EDS-B-4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>


	
<p>Eurofast EDS-B 4,8 x L</p> 	<p>Eurofast TLK-75</p> 
<p>Combination: Eurofast TLK- 75 Eurofast EDS-B-4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-B  
4,8 x L




Eurofast  
TLK-45





Combination:  
Eurofast TLK- 45 x L  
Eurofast EDS-B-4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


KMT-15 + DVPKMT-8240D | EDS-B-4,8 x L




Eurofast EDS-B  
4,8 x LEurofast  
EDF-BAR-FB

Combination:  
Eurofast EDF-BAR-FB 30 x 2250  
Eurofast EDS-B-4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
EDF-BAR-F




Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast EDS-B-4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L







Eurofast  
DVPEFZK8240D



Combination:  
Eurofast DVPEFZK8240D  
Eurofast EDS-B-4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast EDS-B  
4,8 x LEurofast  
DVP-EFB8240D




Combination:  
Eurofast DVP-EFB8240D  
Eurofast EDS-B-4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

# SGS



DVP-EFB-51NS




EDS-B-4,8 x L




Eurofast EDS-B  
4,8 x LEurofast  
DVP-EFB-51NS


Combination:  
Eurofast DVP-EFB-51NS  
Eurofast EDS-B-4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


	
<p>Eurofast EDS-B 4,8 x L</p> 	<p>Eurofast DVP-EF-8240XH</p> 
<p>Combination: Eurofast DVP-EF-8240XH Eurofast EDS-B-4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

	
<p>Eurofast EDS-B 4,8 x L</p> 	<p>Eurofast DVP-EF-8240D</p> 
<p>Combination: Eurofast DVP-EF-8240D Eurofast EDS-B-4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>


	
<p>Eurofast EDS-B 4,8 x L</p> 	<p>Eurofast DVP-EF-8040 N</p> 
<p>Combination: Eurofast DVP-EF-8040N Eurofast EDS-B-4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>




<p>Eurofast EDS-B 4,8 x L</p> <p>TX 25</p>	<p>Eurofast DVP-EF-8040D</p> <p>80</p> <p>47</p> <p>65</p> <p>67</p>
<p>Combination: Eurofast DVP-EF-8040D Eurofast EDS-B-4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-EF-7070D




Combination:  
Eurofast DVP-EF-7070D  
Eurofast EDS-B-4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-EF-7010N




Combination:  
Eurofast DVP-EF-7010N  
Eurofast EDS-B-4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-EF-7010DFR




Combination:  
Eurofast DVP-EF-7010DFR  
Eurofast EDS-B-4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-EF-7010D




Combination:  
Eurofast DVP-EF-7010D  
Eurofast EDS-B-4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L







Eurofast  
DVP-EF-7007N




Combination:  
Eurofast DVP-EF-7007N  
Eurofast EDS-B-4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


	
<p>Eurofast EDS-B 4,8 x L</p> 	<p>Eurofast DVP-EF-7007H</p> 
<p>Combination: Eurofast DVP-EF-7007H Eurofast EDS-B-4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-EF-7007D




Combination:  
Eurofast DVP-EF-7007D  
Eurofast EDS-B-4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-EF-7005N




Combination:  
Eurofast DVP-EF-7005N  
Eurofast EDS-B-4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-EF-7005D




Combination:  
Eurofast DVP-EF-7005D  
Eurofast EDS-B-4,8 x L


Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L






Eurofast  
DVP-EF-5010N




Combination:  
Eurofast DVP-EF-5010N  
Eurofast EDS-B-4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


Eurofast EDS-B  
4,8 x LEurofast  
DVP-EF-5010DFR

Combination:  
Eurofast DVP-EF-5010DFR  
Eurofast EDS-B-4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-EF-5010D




Combination:  
Eurofast DVP-EF-5010D  
Eurofast EDS-B-4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-EF-51N




Combination:  
Eurofast DVP-EF-51N  
Eurofast EDS-B-4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-DFB8240D




Combination:  
Eurofast DVP-DFB8240D  
Eurofast EDS-B-4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-DF8240XH




Combination:  
Eurofast DVP-DF8240XH  
Eurofast EDS-B-4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-DF-8240R




Combination:  
Eurofast DVP-DF-8240R  
Eurofast EDS-B-4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-DF-8240H




Combination:  
Eurofast DVP-DF-8240H  
Eurofast EDS-B-4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L




Eurofast  
DVP-DF-8240D




Combination:  
Eurofast DVP-DF-8240D  
Eurofast EDS-B-4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
4,8 x L



Eurofast  
DVP-DF-7070D




Combination:  
Eurofast DVP-DF-7070D  
Eurofast EDS-B-4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

BTRP-45 x L

EDS-B-4,8 x L





Range EDS-B-5,5 x L


TWP-8040	EDS-B-5,5 x L
----------	---------------


Combination: Eurofast TWP-8040 Eurofast EDS-B 5,5 x L	Van Roi Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

# SGS


TRP-45 x L

EDS-B-5,5 x L






Eurofast EDS-B  
5,5 x L






TX25

Eurofast  
TLK-75






Combination:  
Eurofast TLK-75  
Eurofast EDS-B 5,5 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Combination:  
Eurofast TLK- 45 x L  
Eurofast EDS-B 5,5 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
<p>Eurofast EDS-B 5,5 x L</p>  <p>TX25</p>	<p>Eurofast KMT-15 Eurofast DVPKMT-8240D</p> 
<p>Combination: Eurofast KMT-15 + DVPKMT-8240D Eurofast EDS-B 5,5 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>






Combination:  
Eurofast EDF-BAR-FB 30 x 2250  
Eurofast EDS-B 5,5 x L




Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015





Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast EDS-B 5,5 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
	
Combination: Eurofast DVPEFZK8240D Eurofast EDS-B 5,5 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

	
	
Combination: Eurofast DVP-EFB8240D Eurofast EDS-B 5,5 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015








Eurofast  
DVP-EFB-51NS





Combination:  
Eurofast DVP-EFB-51NS  
Eurofast EDS-B 5,5 x L

Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
	
Combination: Eurofast DVP-EF-8240XH Eurofast EDS-B 5,5 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015









Eurofast  
DVP-EF-8240D








Combination:  
Eurofast DVP-EF-8240D  
Eurofast EDS-B 5,5 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


	
	
Combination: Eurofast DVP-EF-8040N Eurofast EDS-B 5,5 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

	
	
Combination: Eurofast DVP-EF-8040D Eurofast EDS-B 5,5 x L	Van Rij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

	
 <p>Eurofast EDS-B 5,5 x L <math>\phi\ 5,5</math> <math>1,2</math></p> <p>TX25</p>	 <p>Eurofast DVP-EF-7070D 7,0 16 <math>\phi\ 4,85</math></p>
Combination: Eurofast DVP-EF-7070D Eurofast EDS-B 5,5 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015





Eurofast  
DVP-EF-7010N




Combination:  
Eurofast DVP-EF-7010N  
Eurofast EDS-B 5,5 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015









Eurofast  
DVP-EF-7010DFR



Combination:  
Eurofast DVP-EF-7010DFR  
Eurofast EDS-B 5,5 x L




Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




	
	
Combination: Eurofast DVP-EF-7010D Eurofast EDS-B 5,5 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

Eurofast  
DVP-EF-7007N

Combination:  
Eurofast DVP-EF-7007N  
Eurofast EDS-B 5,5 x L




Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
	
Combination: Eurofast DVP-EF-7007H Eurofast EDS-B 5,5 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

Eurofast  
DVP-EF-7007D


Combination:  
Eurofast DVP-EF-7007D  
Eurofast EDS-B 5,5 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast  
DVP-EF-7005N

Combination:  
Eurofast DVP-EF-7005N  
Eurofast EDS-B 5,5 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
5,5 x L





Eurofast  
DVP-EF-7005D




Combination:  
Eurofast DVP-EF-7005D  
Eurofast EDS-B 5,5 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




Eurofast  
DVP-EF-5010N






Combination:  
Eurofast DVP-EF-5010N  
Eurofast EDS-B 5,5 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015






<p>Eurofast EDS-B 5,5 x L</p> <p>TX25</p>	<p>Eurofast DVP-EF-5010DFR</p> <p>Φ 50</p> <p>C</p> <p>EF</p> <p>Φ 4,85</p> <p>H2</p>
Combination: Eurofast DVP-EF-5010DFR Eurofast EDS-B 5,5 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

Eurofast  
DVP-EF-5010D




Combination:  
Eurofast DVP-EF-5010D  
Eurofast EDS-B 5,5 x L




Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


Eurofast  
DVP-EF-51N

Combination:  
Eurofast DVP-EF-51N  
Eurofast EDS-B 5,5 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
	
Combination: Eurofast DVP-DFB8240D Eurofast EDS-B 5,5 x L	Van Rij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015



	
 <p>Eurofast EDS-B 5,5 x L <math>\Phi 9</math> <math>\Phi 5,5</math> L1 L2</p> <p>TX25</p>	 <p>Eurofast DVP-DF8240XH 82 40 1 <math>\Phi 7</math> 53</p>
Combination: Eurofast DVP-DF8240XH Eurofast EDS-B 5,5 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015



Eurofast EDS-B  
5,5 x L






Eurofast  
DVP-DF-8240R






Combination:  
Eurofast DVP-DF-8240R  
Eurofast EDS-B 5,5 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast  
DVP-DF-8240H


Combination:  
Eurofast DVP-DF-8240H  
Eurofast EDS-B 5,5 x L

Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
 <p>Eurofast EDS-B 5,5 x L <math>\Phi 5,5</math> <math>l_2</math> <math>l_1</math></p> <p>TX25</p>	 <p>Eurofast DVP-DF-8240D 81 46 7,4 <math>\Phi 7</math></p>
Combination: Eurofast DVP-DF-8240D Eurofast EDS-B 5,5 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015





Eurofast EDS-B  
5,5 x L




TX25

Eurofast  
DVP-DF-7070D




Combination:  
Eurofast DVP-DF-7070D  
Eurofast EDS-B 5,5 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-B  
5,5 x L



Eurofast  
BIO-45-L




Combination:  
Eurofast BIO-45-L  
Eurofast EDS-B 5,5 x L





Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


BTRP-45 x L

EDS-B 5,5 x L




DVP-EFZK-8240D	EDS-BZTHD/BGTHD 4,8 x L
----------------	-------------------------



	
<p>Eurofast EDS-BZTHD/BGTHD 4,8 x L</p> 	<p>Eurofast DVPEFZK8240D</p>  
<p>Combination: Eurofast DVPEFZK8240D Eurofast EDS-BZTHD/BGTHD 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-BZTHD/BGTHD  
4,8 x L










Eurofast  
DVP-EFB8240D




Combination:  
Eurofast DVP-EFB8240D  
Eurofast EDS-BZTHD/BGTHD 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
	
Combination: Eurofast DVP-EF-8240XH Eurofast EDS-BZTHD/BGTHD 4,8 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015


	
<p>Eurofast EDS-BZTHD/BGTHD 4,8 x L</p> 	<p>Eurofast DVP-EF-8240D</p>  
<p>Combination: Eurofast DVP-EF-8240D Eurofast EDS-BZTHD/BGTHD 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-BZTHD/BGTHD  
4,8 x L




Eurofast  
DVP-EF-8040D




Combination:  
Eurofast DVP-EF-8040D  
Eurofast EDS-BZTHD/BGTHD 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTHD/BGTHD  
4,8 x L




Eurofast  
DVP-EF-7070D




Combination:  
Eurofast DVP-EF-7070D  
Eurofast EDS-BZTHD/BGTHD 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTHD/BGTHD  
4,8 x L




Eurofast  
DVP-EF-7010D




Combination:  
Eurofast DVP-EF-7010D  
Eurofast EDS-BZTHD/BGTHD 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTHD/BGTHD  
4,8 x L




Eurofast  
DVP-EF-7007H




Combination:  
Eurofast DVP-EF-7007H  
Eurofast EDS-BZTHD/BGTHD 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTHD/BGTHD  
4,8 x L




Eurofast  
DVP-EF-7007D




Combination:  
Eurofast DVP-EF-7007D  
Eurofast EDS-BZTHD/BGTHD 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTHD/BGTHD  
4,8 x L




Eurofast  
DVP-EF-5010D




Combination:  
Eurofast DVP-EF-5010D  
Eurofast EDS-BZTHD/BGTHD 4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTHD/BGTHD  
4,8 x L







Eurofast  
DVP-DFB8240D




Combination:  
Eurofast DVP-DFB8240D  
Eurofast EDS-BZTHD/BGTHD 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



	
<p>Eurofast EDS-BZTHD/BGTHD 4,8 x L</p> 	<p>Eurofast DVP-DF8240XH</p> 
<p>Combination: Eurofast DVP-DF8240XH Eurofast EDS-BZTHD/BGTHD 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-BZTHD/BGTHD  
4,8 x L




Eurofast  
DVP-DF-8240R




Combination:  
Eurofast DVP-DF-8240R  
Eurofast EDS-BZTHD/BGTHD 4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTHD/BGTHD  
4,8 x L




Eurofast  
DVP-DF-8240D




Combination:  
Eurofast DVP-DF-8240D  
Eurofast EDS-BZTHD/BGTHD 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTHD/BGTHD  
4,8 x L



Eurofast  
DVP-DF-7070D




Combination:  
Eurofast DVP-DF-7070D  
Eurofast EDS-BZTHD/BGTHD 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


EDF-BAR-FB 30 x 2250 | EDS-BZTHD 4,8 x L



Eurofast EDS-BZTHD  
4,8 x L



Eurofast  
EDF-BAR-FB




Combination:  
Eurofast EDF-BAR-FB 30 x 2250  
Eurofast EDS-BZTHD 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTHD  
4,8 x L



Eurofast  
EDF-BAR-F






Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast EDS-BZTHD 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




## Range EDS-BZT/BGT 4,8 x L



DVP-EFZK-8240D	EDS-BZT/BGT 4,8 x L
----------------	---------------------

	
Eurofast EDS-BZT/BGT 4,8 x L	Eurofast DVPEFZK8240D
	
Combination: Eurofast DVPEFZK8240D Eurofast EDS-BZT/BGT 4,8 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

<p>Eurofast EDS-BZT/BGT 4,8 x L</p>	<p>Eurofast DVP-EFB8240D</p>
<p>Combination: Eurofast DVP-EFB8240D Eurofast EDS-BZT/BGT 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>





Eurofast EDS-BZT/BGT  
4,8 x L




SWB

Eurofast  
DVP-EF-8240XH




Combination:  
Eurofast DVP-EF-8240XH  
Eurofast EDS-BZT/BGT 4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZT/BGT  
4,8 x L




Eurofast  
DVP-EF-8240D




Combination:  
Eurofast DVP-EF-8240D  
Eurofast EDS-BZT/BGT 4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZT/BGT  
4,8 x L




Eurofast  
DVP-EF-8040D




Combination:  
Eurofast DVP-EF-8040D  
Eurofast EDS-BZT/BGT 4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZT/BGT  
4,8 x L




Eurofast  
DVP-EF-7070D





Combination:  
Eurofast DVP-EF-7070D  
Eurofast EDS-BZT/BGT 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZT/BGT  
4,8 x L




Eurofast  
DVP-EF-7010DFR




Combination:  
Eurofast DVP-EF-7010DFR  
Eurofast EDS-BZT/BGT 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZT/BGT  
4,8 x L




Eurofast  
DVP-EF-7010D




Combination:  
Eurofast DVP-EF-7010D  
Eurofast EDS-BZT/BGT 4,8 x L


Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZT/BGT  
4,8 x L




Eurofast  
DVP-EF-7007H




Combination:  
Eurofast DVP-EF-7007H  
Eurofast EDS-BZT/BGT 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




Eurofast EDS-BZT/BGT  
4,8 x L




SW8

Eurofast  
DVP-EF-7007D




Combination:  
Eurofast DVP-EF-7007D  
Eurofast EDS-BZT/BGT 4,8 x L



Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZT/BGT  
4,8 x L




Eurofast  
DVP-EF-7005D





Combination:  
Eurofast DVP-EF-7005D  
Eurofast EDS-BZT/BGT 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZT/BGT  
4,8 x L




Eurofast  
DVP-EF-5010DFR




Combination:  
Eurofast DVP-EF-5010DFR  
Eurofast EDS-BZT/BGT 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZT/BGT  
4,8 x L




Eurofast  
DVP-EF-5010D





Combination:  
Eurofast DVP-EF-5010D  
Eurofast EDS-BZT/BGT 4,8 x L

Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015





Eurofast EDS-BZT/BGT  
4,8 x L







SW8





Eurofast  
DVP-DFB8240D










Combination:  
Eurofast DVP-DFB8240D  
Eurofast EDS-BZT/BGT 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
<p>Eurofast EDS-BZT/BGT 4,8 x L</p> 	<p>Eurofast DVP-DF8240XH</p>  
<p>Combination: Eurofast DVP-DF8240XH Eurofast EDS-BZT/BGT 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>


	
<p>Eurofast EDS-BZT/BGT 4,8 x L</p>  <p>SW8</p>	<p>Eurofast DVP-DF-8240R</p>  
<p>Combination: Eurofast DVP-DF-8240R Eurofast EDS-BZT/BGT 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

	
<p>Eurofast EDS-BZT/BGT 4,8 x L</p>  <p>SWB</p>	<p>Eurofast DVP-DF-8240D</p> 
<p>Combination: Eurofast DVP-DF-8240D Eurofast EDS-BZT/BGT 4,8 x L</p> <p>Van Rij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>	


	
<p>Eurofast EDS-BZT/BGT 4,8 x L</p>  <p>φ 4,8</p> <p>L</p> <p>L2</p>	<p>Eurofast DVP-DF-7070D</p>  <p>w</p> <p>h</p> <p>t</p>  <p>φ 7</p> <p>t</p>
<p>Combination: Eurofast DVP-DF-7070D Eurofast EDS-BZT/BGT 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-BZT  
4,8 x L



Eurofast  
EDF-BAR-FB





Combination:  
Eurofast EDF-BAR-FB 30 x 2250  
Eurofast EDS-BZT 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZT  
4,8 x L



Eurofast  
EDF-BAR-F






Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast EDS-BZT 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015







## Range EDS-BZTR/BGTR 4,8 x L

DVP-EFZK-8240D	EDS-BZTR/BGTR 4,8 x L
----------------	-----------------------


	
<p>Eurofast EDS-BZTR/BGTR 4,8 x L</p> 	<p>Eurofast DVPEFZK8240D</p> 
<p>Combination: Eurofast DVPEFZK8240D Eurofast EDS-BZTR/BGTR 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

<p>Eurofast EDS-BZTR/BGTR 4,8 x L</p> <p>Φ 4,8</p> <p>L</p> <p>SWB</p>	<p>Eurofast DVP-EFB8240D</p> <p>82</p> <p>40</p> <p>Φ 4,85</p> <p>7,7</p>
<p>Combination: Eurofast DVP-EFB8240D Eurofast EDS-BZTR/BGTR 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>


	
<p>Eurofast EDS-BZTR/BGTR 4,8 x L</p> 	<p>Eurofast DVP-EF-8240XH</p> 
<p>Combination: Eurofast DVP-EF-8240XH Eurofast EDS-BZTR/BGTR 4,8 x L</p> <p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>	



Eurofast EDS-BZTR/BGTR  
4,8 x L




Eurofast  
DVP-EF-8240D




Combination:  
Eurofast DVP-EF-8240D  
Eurofast EDS-BZTR/BGTR 4,8 x L


Van Roij Fasteners Europe b.v.  
Jari Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTR/BGTR  
4,8 x L








Eurofast  
DVP-EF-8040D




Combination:  
Eurofast DVP-EF-8040D  
Eurofast EDS-BZTR/BGTR 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


	
<p>Eurofast EDS-BZTR/BGTR 4,8 x L</p> 	<p>Eurofast DVP-EF-7070D</p>  
<p>Combination: Eurofast DVP-EF-7070D Eurofast EDS-BZTR/BGTR 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-BZTR/BGTR  
4,8 x L




Eurofast  
DVP-EF-7010D




Combination:  
Eurofast DVP-EF-7010D  
Eurofast EDS-BZTR/BGTR 4,8 x L


Van Roij Fasteners Europe b.v.  
Jari Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTR/BGTR  
4,8 x L




Eurofast  
DVP-EF-7007H




Combination:  
Eurofast DVP-EF-7007H  
Eurofast EDS-BZTR/BGTR 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTR/BGTR  
4,8 x L




Eurofast  
DVP-EF-7007D




Combination:  
Eurofast DVP-EF-7007D  
Eurofast EDS-BZTR/BGTR 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTR/BGTR  
4,8 x L




Eurofast  
DVP-EF-5010D




Combination:  
Eurofast DVP-EF-5010D  
Eurofast EDS-BZTR/BGTR 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



<p>Eurofast EDS-BZTR/BGTR 4,8 x L</p> <p>Φ 4,8</p> <p>L1</p> <p>L2</p> <p>SW6</p>	<p>Eurofast DVP-DFB8240D</p> <p>82</p> <p>40</p> <p>17</p> <p>Φ 7</p>
<p>Combination: Eurofast DVP-DFB8240D Eurofast EDS-BZTR/BGTR 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-BZTR/BGTR  
4,8 x L




Eurofast  
DVP-DF8240XH




Combination:  
Eurofast DVP-DF8240XH  
Eurofast EDS-BZTR/BGTR 4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTR/BGTR  
4,8 x L








Eurofast  
DVP-DF-8240R





Combination:  
Eurofast DVP-DF-8240R  
Eurofast EDS-BZTR/BGTR 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



	
<p>Eurofast EDS-BZTR/BGTR 4,8 x L</p> 	<p>Eurofast DVP-DF-8240R</p>  
<p>Combination: Eurofast DVP-DF-8240R Eurofast EDS-BZTR/BGTR 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-BZTR/BGTR  
4,8 x L






Eurofast  
DVP-DF-7070D






Combination:  
Eurofast DVP-DF-7070D  
Eurofast EDS-BZTR/BGTR 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-BZTR 4,8 x L	Eurofast EDF-BAR-FB
	
Combination: Eurofast EDF-BAR-FB 30 x 2250 Eurofast EDS-BZTR 4,8 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

Eurofast EDS-BZTR  
4,8 x LEurofast  
EDF-BAR-F

Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast EDS-BZTR 4,8 x L




Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015







Range EDS-H 5,0 x L

BIO-45-L	EDS-H 5,0 x L
----------	---------------


<p>Eurofast EDS-H 5,0 x L</p> <p>Φ 5</p> <p>L2</p> <p>PH2</p>	<p>Eurofast BIO-45-L</p> <p>L3</p>
<p>Combination: Eurofast BIO-45-L Eurofast EDS-H 5,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

	
<p>Eurofast EDS-H 5,0 x L.</p> 	<p>Eurofast TWP-8040</p> 
<p>Combination: Eurofast TWP-8040 Eurofast EDS-H 5,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>


	
<b>Eurofast EDS-H 5,0 x L</b> 	<b>Eurofast TRP-45</b> 
<b>Combination:</b> Eurofast TRP-45 x L Eurofast EDS-H 5,0 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015



Eurofast EDS-H  
5,0 x L



Eurofast  
TLK-75






Combination:  
Eurofast TLK- 75  
Eurofast EDS-H 5,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

# SGS




TLK- 45 x L

EDS-H 5,0 x L

Eurofast EDS-H  
5,0 x LEurofast  
TLK- 45

Combination:  
Eurofast TLK- 45 x L  
Eurofast EDS-H 5,0 x L


Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
<p>Eurofast EDS-H 5,0 x L</p>  <p>PH2</p>	<p>Eurofast KMT-15 Eurofast DVPKMT-8240D</p> 
<p>Combination: Eurofast KMT-15 + DVPKMT-8240D Eurofast EDS-H 5,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>


# SGS

EDF-BAR-FB 30 x 2250


EDS-H 5,0 x L



Eurofast EDS-H  
5,0 x L






Eurofast  
EDF-BAR-FB






Combination:  
Eurofast EDF-BAR-FB 30 x 2250  
Eurofast EDS-H 5,0 x L




Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




Eurofast EDS-H  
5,0 x LEurofast  
EDF-BAR-F

Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast EDS-H 5,0 x L


Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
 Eurofast EDS-H 5,0 x L	 Eurofast DVP-EFB8240D
Combination: Eurofast DVP-EFB8240D Eurofast EDS-H 5,0 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

	
<p>Eurofast EDS-H 5,0 x L</p> 	<p>Eurofast DVPEFZK8240D</p> 
<p>Combination: Eurofast DVPEFZK8240D Eurofast EDS-H 5,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>





Eurofast EDS-H  
5,0 x L




PH2




Eurofast  
DVP-EFB-51NS

Combination:  
Eurofast DVP-EFB-51NS  
Eurofast EDS-H 5,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


	
<p>Eurofast EDS-H 5,0 x L</p>  <p>PH2</p>	<p>Eurofast DVP-EF-8240XH</p>  
<p>Combination: Eurofast DVP-EF-8240XH Eurofast EDS-H 5,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

	
Eurofast EDS-H 5,0 x L	Eurofast DVP-EF-7070D
 Ø 9 Ø 5 1,2	 70 Ø 4,85 8,1
Combination: Eurofast DVP-EF-7070D Eurofast EDS-H 5,0 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015



Eurofast EDS-H  
5,0 x LEurofast  
DVP-EF-7010N

Combination:  
Eurofast DVP-EF-7010N  
Eurofast EDS-H 5,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-H  
5,0 x L







Eurofast  
DVP-EF-7010DFR






Combination:  
Eurofast DVP-EF-7010DFR  
Eurofast EDS-H 5,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast EDS-H  
5,0 x LEurofast  
DVP-EF-7010D


Combination:  
Eurofast DVP-EF-7010D  
Eurofast EDS-H 5,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


Eurofast EDS-H  
5,0 x LEurofast  
DVP-EF-7007H

Combination:  
Eurofast DVP-EF-7007H  
Eurofast EDS-H 5,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-H  
5,0 x L




Eurofast  
DVP-EF-7007D





Combination:  
Eurofast DVP-EF-7007D  
Eurofast EDS-H 5,0 x L


Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-H  
5,0 x L







Eurofast  
DVP-EF-7005N



Combination:  
Eurofast DVP-EF-7005N  
Eurofast EDS-H 5,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




Eurofast EDS-H  
5,0 x LEurofast  
DVP-EF-5010N

Combination:  
Eurofast DVP-EF-5010N  
Eurofast EDS-H 5,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-H  
5,0 x L




Eurofast  
DVP-EF-5010DFR




Combination:  
Eurofast DVP-EF-5010DFR  
Eurofast EDS-H 5,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-H  
5,0 x L




Eurofast  
DVP-EF-5010D




Combination:  
Eurofast DVP-EF-5010D  
Eurofast EDS-H 5,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-H  
5,0 x L



Eurofast  
DVP-EF-4010N3






Combination:  
Eurofast DVP-EF-4010N3  
Eurofast EDS-H 5,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

# SGS


DVP-EF-4010N

EDS-H 5,0 x L



Eurofast EDS-H  
5,0 x LEurofast  
DVP-EF-4010N

Combination:  
Eurofast DVP-EF-4010N  
Eurofast EDS-H 5,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-H  
5,0 x L









Eurofast  
DVP-EF-51N







Combination:  
Eurofast DVP-EF-51N  
Eurofast EDS-H 5,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



	
<p>Eurofast EDS-H 5,0 x L</p> 	<p>Eurofast DVP-DFB8240D</p> 
<p>Combination: Eurofast DVP-DFB8240D Eurofast EDS-H 5,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

	
<p>Eurofast EDS-H 5,0 x L</p> 	<p>Eurofast DVP-DF8240XH</p> 
<p>Combination: Eurofast DVP-DF8240XH Eurofast EDS-H 5,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

	
<p>Eurofast EDS-H 5,0 x L</p> 	<p>Eurofast DVP-DF-8240H</p> 
<p>Combination: Eurofast DVP-DF-8240H Eurofast EDS-H 5,0 x L</p> <p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>	





Eurofast EDS-H  
5,0 x L



PH2

Eurofast  
DVP-DF-7070D




Combination:  
Eurofast DVP-DF-7070D  
Eurofast EDS-H 5,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

BTRP-45 x L

EDS-H 5,0 x L





Range EDS-S 4,8 x L


BIO-45-L	EDS-S 4,8 x L
----------	---------------

<p>Eurofast EDS-S 4,8 x L</p>	<p>Eurofast BIO-45-L</p>
Combination: Eurofast BIO-45-L Eurofast EDS-S 4,8 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015


# SGS

TWP-8040



EDS-S 4,8 x L



Eurofast EDS-S  
4,8 x L



Eurofast  
TWP-8040






Combination:  
Eurofast TWP-8040  
Eurofast EDS-S 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

# SGS


TRP-45 x L

EDS-S 4,8 x L


	
 <p>Eurofast EDS-S 4,8 x L</p>	 <p>Eurofast TRP-45</p>
<p>Combination: Eurofast TRP-45 x L Eurofast EDS-S 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-S  
4,8 x L



Eurofast  
TLK-75




Combination:  
Eurofast TLK- 75  
Eurofast EDS-S 4,8 x L

Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


# SGS

TLK- 45 x L


EDS-S 4,8 x L



Eurofast EDS-S  
4,8 x L




Eurofast  
TLK- 45



Combination:  
Eurofast TLK- 45 x L  
Eurofast EDS-S 4,8 x L




Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

KMT-15 + DVP-KMT-8240D | EDS-S 4,8 x L






EDF-BAR-FB 30 x 2250

EDS-S 4,8 x L

Eurofast EDS-S  
4,8 x LEurofast  
EDF-BAR-FB





Combination:  
Eurofast EDF-BAR-FB 30 x 2250  
Eurofast EDS-S 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast EDS-S  
4,8 x LEurofast  
EDF-BAR-F




Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast EDS-S 4,8 x L

Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast EDS-S  
4,8 x LEurofast  
DVP-K-4040H

Combination:  
Eurofast DVP-K-4040H  
Eurofast EDS-S 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
<p>Eurofast EDS-S 4,8 x L</p> 	<p>Eurofast DVP-EFB8240D</p> 
<p>Combination: Eurofast DVP-EFB8240D Eurofast EDS-S 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>


# SGS

DVP-EFB-51NS


EDS-S 4,8 x L



Eurofast EDS-S  
4,8 x L






Eurofast  
DVP-EFB-51NS



Combination:  
Eurofast DVP-EFB-51NS  
Eurofast EDS-S 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




	
<p>Eurofast EDS-S 4,8 x L</p> 	<p>Eurofast DVP-EF-8240XH</p> 
<p>Combination: Eurofast DVP-EF-8240XH Eurofast EDS-S 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>


# SGS




DVP-EF-8240D

EDS-S 4,8 x L




	
<p>Eurofast EDS-S 4,8 x L</p> 	<p>Eurofast DVP-EF-8040 N</p> 
<p>Combination: Eurofast DVP-EF-8040N Eurofast EDS-S 4,8 x L</p>	<p>Van Rij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-S  
4,8 x LEurofast  
DVP-EF-7010N

Combination:  
Eurofast DVP-EF-7010N  
Eurofast EDS-S 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



# SGS

DVP-EF-7010D


EDS-S 4,8 x L




# SGS

DVP-EF-7007N


EDS-S 4,8 x L



Eurofast EDS-S  
4,8 x L




Eurofast  
DVP-EF-7007N




Combination:  
Eurofast DVP-EF-7007N  
Eurofast EDS-S 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-S  
4,8 x L



Eurofast  
DVP-EF-7007H




Combination:  
Eurofast DVP-EF-7007H  
Eurofast EDS-S 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


# SGS

DVP-EF-7007D


EDS-S 4,8 x L



Eurofast EDS-S  
4,8 x L



Eurofast  
DVP-EF-7007D






Combination:  
Eurofast DVP-EF-7007D  
Eurofast EDS-S 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

# SGS

DVP-EF-7005N

EDS-S 4,8 x L

Eurofast EDS-S  
4,8 x LEurofast  
DVP-EF-7005N





Combination:  
Eurofast DVP-EF-7005N  
Eurofast EDS-S 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

# SGS

DVP-EF-7005D

EDS-S 4,8 x L

Eurofast EDS-S  
4,8 x LEurofast  
DVP-EF-7005D


Combination:  
Eurofast DVP-EF-7005D  
Eurofast EDS-S 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


# SGS

DVP-EF-5010N


EDS-S 4,8 x L



Eurofast EDS-S  
4,8 x L



Eurofast  
DVP-EF-5010N






Combination:  
Eurofast DVP-EF-5010N  
Eurofast EDS-S 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

# SGS


DVP-EF-5010DFR

EDS-S 4,8 x L


Eurofast EDS-S  
4,8 x LEurofast  
DVP-EF-5010DFR

Combination:  
Eurofast DVP-EF-5010DFR  
Eurofast EDS-S 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-S  
4,8 x L





Eurofast  
DVP-EF-5010D




Combination:  
Eurofast DVP-EF-5010D  
Eurofast EDS-S 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


Eurofast EDS-S  
4,8 x L




PH2


Eurofast  
DVP-EF-51N


Combination:  
Eurofast DVP-EF-51N  
Eurofast EDS-S 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




	
<p>Eurofast EDS-S 4,8 x L</p> 	<p>Eurofast DVP-DF8240XH</p> 
<p>Combination: Eurofast DVP-DF8240XH Eurofast EDS-S 4,8 x L</p> <p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>	






Eurofast EDS-S  
4,8 x L






Eurofast  
DVP-DF-8240H




Combination:  
Eurofast DVP-DF-8240H  
Eurofast EDS-S 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast EDS-S  
4,8 x LEurofast  
DVP-DF-8240D

Combination:  
Eurofast DVP-DF-8240D  
Eurofast EDS-S 4,8 x L

Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015





Range EDS-SRB 4,8 x L




TWP-8040	EDS-SRB 4,8 x L
----------	-----------------


<p>Eurofast EDS-SRB 4,8 x L</p>	<p>Eurofast TWP-8040</p>
<p>Combination: Eurofast TWP-8040 Eurofast EDS-SRB 4,8 x L</p>	<p>Van Röij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

# SGS


TRP-45 x L

EDS-SRB 4,8 x L


	
Eurofast EDS-SRB 4,8 x L	Eurofast TRP-45
 TX 25	
Combination: Eurofast TRP-45 x L Eurofast EDS-SRB 4,8 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015



Eurofast EDS-SRB  
4,8 x L






Eurofast  
TLK-75




Combination:  
Eurofast TLK- 75  
Eurofast EDS-SRB 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast EDS-SRB  
4,8 x LEurofast  
TLK- 45


Combination:  
Eurofast TLK- 45 x L  
Eurofast EDS-SRB 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015






Eurofast EDS-SRB  
4,8 x L



Eurofast  
EDF-BAR-FB



Combination:  
Eurofast EDF-BAR-FB 30 x 2250  
Eurofast EDS-SRB 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


# SGS

EDF-BAR-F 30 x 2250


EDS-SRB 4,8 x L



Eurofast EDS-SRB  
4,8 x L







Eurofast  
EDF-BAR-F





Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast EDS-SRB 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



	
Eurofast EDS-SRB 4,8 x L	Eurofast DVP-EFB8240D
	
Combination: Eurofast DVP-EFB8240D Eurofast EDS-SRB 4,8 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015



Eurofast EDS-SRB  
4,8 x L




Eurofast  
DVP-EFB-51NS





Combination:  
Eurofast DVP-EFB-51NS  
Eurofast EDS-SRB 4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-SRB  
4,8 x L



Eurofast  
DVP-EF-8240XH







Combination:  
Eurofast DVP-EF-8240XH  
Eurofast EDS-SRB 4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




# SGS


DVP-EF-8240D

EDS-SRB 4,8 x L


	
Eurofast EDS-SRB 4,8 x L	Eurofast DVP-EF-8240D
	 
Combination: Eurofast DVP-EF-8240D Eurofast EDS-SRB 4,8 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

	
<p>Eurofast EDS-SRB 4,8 x L</p> 	<p>Eurofast DVP-EF-8040 N</p> 
<p>Combination: Eurofast DVP-EF-8040N Eurofast EDS-SRB 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>


	
<p>Eurofast EDS-SRB 4,8 x L</p> 	<p>Eurofast DVP-EF-8040D</p> 
<p>Combination: Eurofast DVP-EF-8040D Eurofast EDS-SRB 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-SRB  
4,8 x L







Eurofast  
DVP-EF-7010N




Combination:  
Eurofast DVP-EF-7010N  
Eurofast EDS-SRB 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


	
<p>Eurofast EDS-SRB 4,8 x L</p> 	<p>Eurofast DVP-EF-7010D</p> 
<p>Combination: Eurofast DVP-EF-7010D Eurofast EDS-SRB 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-SRB  
4,8 x L




Eurofast  
DVP-EF-7007N




Combination:  
Eurofast DVP-EF-7007N  
Eurofast EDS-SRB 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-SRB  
4,8 x L




Eurofast  
DVP-EF-7007H




Combination:  
Eurofast DVP-EF-7007H  
Eurofast EDS-SRB 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-SRB  
4,8 x L



Eurofast  
DVP-EF-7007D




Combination:  
Eurofast DVP-EF-7007D  
Eurofast EDS-SRB 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



# SGS

DVP-EF-7005N

EDS-SRB 4,8 x L




Eurofast EDS-SRB  
4,8 x L




TX 25

Eurofast  
DVP-EF-7005N




Combination:  
Eurofast DVP-EF-7005N  
Eurofast EDS-SRB 4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-SRB  
4,8 x L




Eurofast  
DVP-EF-7005D





Combination:  
Eurofast DVP-EF-7005D  
Eurofast EDS-SRB 4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-SRB  
4,8 x L




Eurofast  
DVP-EF-5010N




Combination:  
Eurofast DVP-EF-5010N  
Eurofast EDS-SRB 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-SRB  
4,8 x L




Eurofast  
DVP-EF-5010D




Combination:  
Eurofast DVP-EF-5010D  
Eurofast EDS-SRB 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-SRB  
4,8 x L




Eurofast  
DVP-EF-51N




Combination:  
Eurofast DVP-EF-51N  
Eurofast EDS-SRB 4,8 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-SRB  
4,8 x L






Eurofast  
DVP-DFB8240D




Combination:  
Eurofast DVP-DFB8240D  
Eurofast EDS-SRB 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



	
<p>Eurofast EDS-SRB 4,8 x L</p> 	<p>Eurofast DVP-DF8240XH</p> 
<p>Combination: Eurofast DVP-DF8240XH Eurofast EDS-SRB 4,8 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



Eurofast EDS-SRB  
4,8 x L




Eurofast  
DVP-DF-8240R





Combination:  
Eurofast DVP-DF-8240R  
Eurofast EDS-SRB 4,8 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EDS-SRB  
4,8 x L




Eurofast  
DVP-DF-8240H




Combination:  
Eurofast DVP-DF-8240H  
Eurofast EDS-SRB 4,8 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

<p>Eurofast EDS-SRB 4,8 x L</p> <p>TX 25</p>	<p>Eurofast DVP-DF-8240D</p>
<p>Combination: Eurofast DVP-DF-8240D Eurofast EDS-SRB 4,8 x L</p>	<p>Van Rij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>









# SGS

Range EFHD 6,3 x L

TWP 8040


EFHD 6,3 x L




Eurofast EFHD  
6,3 x LEurofast  
TLK-75

Combination:  
Eurofast TLK- 75  
Eurofast EFHD 6,3 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EFHD  
6,3 x L




Eurofast  
TLK- 45




Combination:  
Eurofast TLK- 45 x L  
Eurofast EFHD 6,3 x L

Van Röij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015






Eurofast EFHD  
6,3 x L






Eurofast  
EDF-BAR-FB




Combination:  
Eurofast EDF-BAR-FB 30 x 2250  
Eurofast EFHD 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EFHD  
6,3 x LEurofast  
EDF-BAR-F

Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast EFHD 6,3 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EFHD  
6,3 x L












Eurofast  
DVP-EFB-51NS







Combination:  
Eurofast DVP-EFB-51NS  
Eurofast EFHD 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




	
<p>Eurofast EFHD 6,3 x L</p>  	<p>Eurofast DVP-EF-8040 N</p>  
<p>Combination: Eurofast DVP-EF-8040N Eurofast EFHD 6,3 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

	
<p>Eurofast EFHD 6,3 x L</p>  <p>TX25</p> 	<p>Eurofast DVP-EF-8040D</p> 
<p>Combination: Eurofast DVP-EF-8040D Eurofast EFHD 6,3 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

Eurofast EFHD  
6,3 x LEurofast  
DVP-EF-7010N

Combination:  
Eurofast DVP-EF-7010N  
Eurofast EFHD 6,3 x L

Van Röij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




Combination: Eurofast DVP-EF-7010D Eurofast EFHD 6,3 x L	Van Rij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015
--	--



# SGS

DVP-EF-7007N



EFHD 6,3 x L



Eurofast EFHD  
6,3 x L




Eurofast  
DVP-EF-7007N





Combination:  
Eurofast DVP-EF-7007N  
Eurofast EFHD 6,3 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EFHD  
6,3 x L




Eurofast  
DVP-EF-7007H




Combination:  
Eurofast DVP-EF-7007H  
Eurofast EFHD 6,3 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EFHD  
6,3 x L




Eurofast  
DVP-EF-7007D





Combination:  
Eurofast DVP-EF-7007D  
Eurofast EFHD 6,3 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EFHD  
6,3 x L




Eurofast  
DVP-EF-5010N




Combination:  
Eurofast DVP-EF-5010N  
Eurofast EFHD 6,3 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EFHD  
6,3 x L






Eurofast  
DVP-EF-5010D




Combination:  
Eurofast DVP-EF-5010D  
Eurofast EFHD 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


Eurofast EFHD  
6,3 x LEurofast  
DVP-EF-51N

Combination:  
Eurofast DVP-EF-51N  
Eurofast EFHD 6,3 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EFHD  
6,3 x L




Eurofast  
DVP-DFB8240D





Combination:  
Eurofast DVP-DFB8240D  
Eurofast EFHD 6,3 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EFHD  
6,3 x L




Eurofast  
DVP-DF8240XH





Combination:  
Eurofast DVP-DF8240XH  
Eurofast EFHD 6,3 x L



Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EFHD  
6,3 x L




Eurofast  
DVP-DF-8240R




Combination:  
Eurofast DVP-DF-8240R  
Eurofast EFHD 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




Eurofast EFHD 6,3 x L	<p>Detailed view of the screw showing its length <math>L</math> and diameter <math>\varnothing 6,3</math>. Below it is a cross-section showing the hexagonal head and a diameter of <math>\varnothing 9</math>, with a TX25 torque specification.</p>
	<p>Detailed view of the base plate showing its dimensions: width 82 and height 40. It features a central circular hole and a small slot. Below it is a cross-section showing a thickness of <math>\varnothing 7</math>.</p>


Combination: Eurofast DVP-DF-8240H Eurofast EFHD 6,3 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015
--	---



Eurofast EFHD  
6,3 x L




Eurofast  
DVP-DF-8240D





Combination:  
Eurofast DVP-DF-8240D  
Eurofast EFHD 6,3 x L



Van Roi Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EFHD  
6,3 x L



Eurofast  
DVP-DF-7070D




Combination:  
Eurofast DVP-DF-7070D  
Eurofast EFHD 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

BTRP-45 x L

EFHD 6,3 x L






Van Roij Fasteners Europe b.v.

Combination:  
Eurofast BTRP Ø 45 x L  
Eurofast EFHD 6,3 x L

TRP-45 x L

EFHD 6,3 x L

VRF Eurofast EFHD  
6,3 x LVRF Eurofast  
TRP Ø 45



Van Roij Fasteners Europe b.v.

Combination:  
Eurofast TRP Ø 45 x L  
Eurofast EFHD 6,3 x L

# SGS


Range EFR 6,3 x L

TRP-45 x L	EFR 6,3 x L
------------	-------------



Combination:  
Eurofast TRP-45 x L  
Eurofast EFR 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015






<p>Eurofast EFR 6,3 x L</p> <p>Φ 6,3</p> <p>L</p> <p>Φ 9</p> <p>TX 25</p>	<p>Eurofast TLK-75</p> <p>1,5</p>
<p>Combination: Eurofast TLK- 75 Eurofast EFR 6,3 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

# SGS




TLK- 45 x L




EFR 6,3 x L

Eurofast EFR  
6,3 x LEurofast  
TLK- 45

Combination:  
Eurofast TLK- 45 x L  
Eurofast EFR 6,3 x L




Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
	
Combination: Eurofast KMT-15 + DVPKMT-8240D Eurofast EFR 6,3 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

Eurofast EFR  
6,3 x LEurofast  
EDF-BAR-FB


Combination:  
Eurofast EDF-BAR-FB 30 x 2250  
Eurofast EFR 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




Eurofast EFR  
6,3 x LEurofast  
EDF-BAR-F


Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast EFR 6,3 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015





<p>Eurofast EFR 6,3 x L</p> <p>A technical drawing of the Eurofast EFR 6,3 x L screw. It shows the screw shaft with a diameter of <math>\phi 6,3</math>, the total length <math>L</math>, and the head diameter <math>\phi 12</math>. A TX 25 Torx slot is indicated at the bottom. The head has a <math>\phi 9</math> center hole.</p>	<p>Eurofast DVP-EFB-51NS</p> <p>A technical drawing of the DVP-EFB-51NS washer. It is a multi-layered, split lock washer with an outer diameter of <math>\phi 51</math>. The thickness of the washer is labeled as <math>1,5</math>.</p>
<p>Combination: Eurofast DVP-EFB-51NS Eurofast EFR 6,3 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

	
	
Combination: Eurofast DVP-EF-7010N Eurofast EFR 6,3 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

	
<p>Eurofast EFR 6,3 x L</p> <p><math>\phi 6,3</math></p> <p><math>L1</math></p> <p><math>L2</math></p> <p>TX 25</p> <p><math>\phi 63</math></p>	<p>Eurofast DVP-EF-7010D</p> <p><math>\phi 70</math></p> <p><math>\phi 6,5</math></p> <p>6,6</p>
Combination: Eurofast DVP-EF-7010D Eurofast EFR 6,3 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015





VRF Eurofast EFR

VRF Eurofast  
DVP EF 7007 N



van Roij Fasteners Europe b.v.

Combination:  
Eurofast DVP-EF 7007 N  
Eurofast EFR Φ 6,3 x L








VRF Eurofast EFR




VRF Eurofast  
DVP EF 7007 D

Van Roij Fasteners Europe b.v.

Combination:  
Eurofast DVP-EF 7007 D  
Eurofast EFR Ø 6,3 x L






<p>Eurofast EFR 6,3 x L</p> 	<p>Eurofast DVP-EF-5010N</p> 
Combination: Eurofast DVP-EF-5010N Eurofast EFR 6,3 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

Eurofast EFR  
6,3 x LEurofast  
DVP-EF-5010D


Combination:  
Eurofast DVP-EF-5010D  
Eurofast EFR 6,3 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


Eurofast EFR  
6,3 x LEurofast  
DVP-EF-51N

Combination:  
Eurofast DVP-EF-51N  
Eurofast EFR 6,3 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast EFR  
6,3 x L







Eurofast  
DVP-DFB8240D






Combination:  
Eurofast DVP-DFB8240D  
Eurofast EFR 6,3 x L




Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


	
	
Combination: Eurofast DVP-DF8240XH Eurofast EFR 6,3 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015






<p>Eurofast EFR 6,3 x L</p> <p>TX 25</p> <p>Ø 6,3</p> <p>L</p> <p>Ø 9</p>	<p>Eurofast DVP-DF-8240R</p> <p>82</p> <p>40</p> <p>55</p> <p>Ø 7</p>
<p>Combination: Eurofast DVP-DF-8240R Eurofast EFR 6,3 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

	
	
Combination: Eurofast DVP-DF-8240H Eurofast EFR 6,3 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

	
	
Combination: Eurofast DVP-DF-8240D Eurofast EFR 6,3 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015




<p>Eurofast EFR 6,3 x L</p> <p>Ø 6,3</p> <p>L</p> <p>TX 25</p> <p>Ø 9</p>	<p>Eurofast DVP-DF-7070D</p> <p>70</p> <p>70</p> <p>EF</p> <p>7</p> <p>77</p>
<p>Combination: Eurofast DVP-DF-7070D Eurofast EFR 6,3 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>



VRF Eurofast EFR  
6,3 x LVRF Eurofast  
BIO Ø 45

Van Roij Fasteners Europe b.v.

Combination:  
Eurofast BIO Ø 45 x L  
Eurofast EFR 6,3 x L



VRF Eurofast EFR


VRF Eurofast  
BTRP  $\varnothing$  45

van Roij Fasteners Europe b.v.


Combination:  
Eurofast BTRP  $\varnothing$  45 x L  
Eurofast EFR  $\varnothing$  6,3 x L

ISPC Plug Ø50 x L


ISPC Nail A2 Ø4,35 x L



Eurofast ISPC  
Nail A2 Ø 4,35




Eurofast  
ISPC Plug Ø 50




Combination:  
Eurofast ISPC Plug Ø50 x L  
Eurofast ISPC Nail A2 Ø4,35 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast ISPC-A2  
Ø 50 x L




Eurofast  
DVP-ISPC-70N




Combination:  
Eurofast DVP-ISPC-70N  
Eurofast ISPC-A2 Ø 50 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast ISPC  
Ø 50 x L




Eurofast  
DVP-ISPC-70N




Combination:  
Eurofast DVP-ISPC-70N  
Eurofast ISPC Ø 50 x L


Van Rij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast ISPC  
Nail Ø 4,35



Eurofast  
ISPC Plug Ø 50






Combination:  
Eurofast ISPC Plug Ø50 x L  
Eurofast ISPC Nail Ø4,35 x L


Van Roi Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




Range GBSA2 6,0 x L

TLK Ø75	GBSA2 6,0 x L
---------	---------------


	
Eurofast GBS-A2 6,0 x L	Eurofast TLK-75
	
Combination: Eurofast TLK Ø 75 Eurofast GBS-A2 6,0 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015



Eurofast GBS-A2  
6,0 x L






Eurofast  
TLK- 45






Combination:  
Eurofast TLK-45 x L  
Eurofast GBS-A2 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

KMT-15 + DVP-KMT-8240D | GBSA2 6,0 x L

	
<p>Eurofast GBS-A2 6,0 x L</p>  <p>TX25</p>	<p>Eurofast KMT-15 Eurofast DVPKMT-8240D</p> 
<p>Combination: Eurofast KMT-15 + DVPKMT-8240D Eurofast GBS-A2 6,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>


Eurofast GBS-A2  
6,0 x LEurofast  
EDF-BAR-FB

Combination:  
Eurofast EDF-BAR-FB 30 x 2250  
Eurofast GBS-A2 6,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast GBS-A2  
6,0 x L




Eurofast  
EDF-BAR-F




Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast GBS-A2 6,0 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast GBS-A2  
6,0 x L




Eurofast  
DVP-EFB-51NS




Combination:  
Eurofast DVP-EFB-51NS  
Eurofast GBS-A2 6,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast GBS-A2  
6,0 x L




Eurofast  
DVP-EF-7010N




Combination:  
Eurofast DVP-EF-7010N  
Eurofast GBS-A2 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




Eurofast GBS-A2  
6,0 x L







TX25

Eurofast  
DVP-EF-7010D




Combination:  
Eurofast DVP-EF-7010D  
Eurofast GBS-A2 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


VRF Eurofast GBS A2  
6,0 x LVRF Eurofast  
DVP-EF-7010DFR

Van Roij Fasteners Europe b.v.


Combination:  
Eurofast DVP-EF-7010DFR  
Eurofast GBS A2 6,0 x L



Eurofast GBS-A2  
6,0 x L



Eurofast  
DVP-EF-7007N




Combination:  
Eurofast DVP-EF-7007N  
Eurofast GBS-A2 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


# SGS

DVP-EF-7007H



GBSA2 6,0 x L



Eurofast GBS-A2  
6,0 x L




Eurofast  
DVP-EF-7007H




Combination:  
Eurofast DVP-EF-7007H  
Eurofast GBS-A2 6,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast GBS-A2  
6,0 x L




Eurofast  
DVP-EF-7007D




Combination:  
Eurofast DVP-EF-7007D  
Eurofast GBS-A2 6,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast GBS-A2  
6,0 x L




Eurofast  
DVP-EF-5010N




Combination:  
Eurofast DVP-EF-5010N  
Eurofast GBS-A2 6,0 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast GBS-A2  
6,0 x L






Eurofast  
DVP-EF-5010D



Combination:  
Eurofast DVP-EF-5010D  
Eurofast GBS-A2 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

VRF Eurofast GBS  
6,0 x LVRF Eurofast  
DVP-EF-5010DFR


Van Roij Fasteners Europe b.v.

Combination:  
Eurofast DVP-EF-5010DFR  
Eurofast GBS 6,0 x L


# SGS

DVP-EF-4010N



GBSA2 6,0 x L



Eurofast GBS-A2  
6,0 x L






Eurofast  
DVP-EF-4010N






Combination:  
Eurofast DVP-EF-4010N  
Eurofast GBS-A2 6,0 x L




Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast GBS-A2  
6,0 x LEurofast  
DVP-EF-51N

Combination:  
Eurofast DVP-EF-51N  
Eurofast GBS-A2 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


	
<p>Eurofast GBS-A2 6,0 x L</p> 	<p>Eurofast DVP-DFB8240D</p> 
<p>Combination: Eurofast DVP-DFB8240D Eurofast GBS-A2 6,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

	
<p>Eurofast GBS-A2 6,0 x L</p> 	<p>Eurofast DVP-DF-8240R</p> 
<p>Combination: Eurofast DVP-DF-8240R Eurofast GBS-A2 6,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>


# SGS

DVP-DF-8240H


GBSA2 6,0 x L



Eurofast GBS-A2  
6,0 x L







Eurofast  
DVP-DF-8240H




Combination:  
Eurofast DVP-DF-8240H  
Eurofast GBS-A2 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



	
<p>Eurofast GBS-A2 6,0 x L</p> 	<p>Eurofast DVP-DF-8240D</p> 
<p>Combination: Eurofast DVP-DF-8240D Eurofast GBS-A2 6,0 x L</p> <p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>	



Eurofast GBS-A2  
6,0 x L



Eurofast  
DVP-DF-7070D




Combination:  
Eurofast DVP-DF-7070D  
Eurofast GBS-A2 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


# SGS

BIO-45-L


GBSA2 6,0 x L



Eurofast GBS-A2  
6,0 x L



Eurofast  
BIO-45-L




Combination:  
Eurofast BIO-45-L  
Eurofast GBS-A2 6,0 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Range GBS-8,0 x L

EDF-BAR-FB 30 x 2250	GBS-8,0 x L
----------------------	-------------








<p>Eurofast GBS-8,0 x L</p>  	<p>Eurofast EDF-BAR-FB</p> 
<p>Combination: Eurofast EDF-BAR-FB 30 x 2250 Eurofast GBS-8,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

# SGS

EDF-BAR-F 30 x 2250

GBS-8,0 x L

Eurofast  
GBS-8,0 x LEurofast  
EDF-BAR-F




Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast GBS-8,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

# SGS

TLK Ø75

GBS 8,0 x L


VRF Eurofast GBS  
8,0 x LVRF Eurofast  
TLK Ø 75

Van Roij Fasteners Europe b.v.


Combination:  
Eurofast TLK Ø 75 x L  
Eurofast GBS 8,0 x L

# SGS


TLK- 45 x L      GBS 8,0 x L



VRF Eurofast GBS  
8,0 x L



VRF Eurofast  
TLK Ø 45






Van Roij Fasteners Europe b.v.

Combination:  
Eurofast TLK Ø 45 x L  
Eurofast GBS 8,0 x L



Range GBS-6,0 x L


BIO-45-L	GBS 6,0 x L
----------	-------------

	
<p>Eurofast GBS 6,0 x L</p> 	<p>Eurofast BIO-45-L</p> 
<p>Combination: Eurofast BIO-45-L Eurofast GBS 6,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>


# SGS

TLK- 75


GBS 6,0 x L



Eurofast GBS  
6,0 x L



Eurofast  
TLK-75




Combination:  
Eurofast TLK-75  
Eurofast GBS 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


# SGS

TLK- 45 x L


GBS 6,0 x L



Eurofast GBS  
6,0 x L






Eurofast  
TLK- 45



Combination:  
Eurofast TLK- 45 x L  
Eurofast GBS 6,0 x L




Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

<p>Eurofast GBS 6,0 x L</p> <p>TX25</p>	<p>Eurofast KMT-15 Eurofast DVPKMT-8240D</p> <p>82</p> <p>6.0</p> <p>Φ 15</p> <p>L</p>
<p>Combination: Eurofast KMT-15 + DVPKMT-8240D Eurofast GBS 6,0 x L</p>	<p>Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015</p>

Eurofast GBS  
6,0 x LEurofast  
EDF-BAR-FB




Combination:  
Eurofast EDF-BAR-FB 30 x 2250  
Eurofast GBS 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast GBS  
6,0 x LEurofast  
EDF-BAR-F

Combination:  
Eurofast EDF-BAR-F 30 x 2250  
Eurofast GBS 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast GBS  
6,0 x LEurofast  
DVP-EFB-51NS


Combination:  
Eurofast DVP-EFB-51NS  
Eurofast GBS 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


# SGS

DVP-EF-7010N


GBS 6,0 x L



Eurofast GBS  
6,0 x L









Eurofast  
DVP-EF-7010N



Combination:  
Eurofast DVP-EF-7010N  
Eurofast GBS 6,0 x L





Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

	
	
Combination: Eurofast DVP-EF-7010D Eurofast GBS 6,0 x L	Van Roij Fasteners Europe b.v. Jan Tooropstraat 16 NL-5753 DK Deurne copyright © 12.2015

VRF Eurofast GBS  
6,0 x LVRF Eurofast  
DVP-EF-7010DFR


Van Roij Fasteners Europe b.v.

Combination:  
Eurofast DVP-EF-7010DFR  
Eurofast GBS 6,0 x L


Eurofast GBS  
6,0 x LEurofast  
DVP-EF-7007N

Combination:  
Eurofast DVP-EF-7007N  
Eurofast GBS 6,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast GBS  
6,0 x L




Eurofast  
DVP-EF-7007H




Combination:  
Eurofast DVP-EF-7007H  
Eurofast GBS 6,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast GBS  
6,0 x L




Eurofast  
DVP-EF-7007D




Combination:  
Eurofast DVP-EF-7007D  
Eurofast GBS 6,0 x L



Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast GBS  
6,0 x L



Eurofast  
DVP-EF-5010N




Combination:  
Eurofast DVP-EF-5010N  
Eurofast GBS 6,0 x L

Van Röij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


# SGS

DVP-EF-5010D

GBS 6,0 x L




Eurofast GBS  
6,0 x L






TX25

Eurofast  
DVP-EF-5010D






Combination:  
Eurofast DVP-EF-5010D  
Eurofast GBS 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

VRF Eurofast GBS  
6,0 x LVRF Eurofast  
DVP-EF-5010DFR




Van Roij Fasteners Europe b.v.

Combination:  
Eurofast DVP-EF-5010DFR  
Eurofast GBS 6,0 x L

Eurofast GBS  
6,0 x LEurofast  
DVP-EF-4010N


Combination:  
Eurofast DVP-EF-4010N  
Eurofast GBS 6,0 x L

Van Roij Fasteners Europe b.v.  
Jari Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


Eurofast GBS  
6,0 x LEurofast  
DVP-EF-51N

Combination:  
Eurofast DVP-EF-51N  
Eurofast GBS 6,0 x L


Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015



Eurofast GBS  
6,0 x L








Eurofast  
DVP-DFB8240D






Combination:  
Eurofast DVP-DFB8240D  
Eurofast GBS 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015

Eurofast GBS  
6,0 x LEurofast  
DVP-DF8240XH


Combination:  
Eurofast DVP-DF8240XH  
Eurofast GBS 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


Eurofast GBS  
6,0 x LEurofast  
DVP-DF-8240R

Combination:  
Eurofast DVP-DF-8240R  
Eurofast GBS 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015





Eurofast GBS  
6,0 x L



TX25

Eurofast  
DVP-DF-8240H




Combination:  
Eurofst DVP-DF-8240H  
Eurofast GBS 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


# SGS

DVP-DF-8240D


GBS 6,0 x L



Eurofast GBS  
6,0 x L



Eurofast  
DVP-DF-8240D




Combination:  
Eurofast DVP-DF-8240D  
Eurofast GBS 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015


# SGS

DVP-DF-7070D



GBS 6,0 x L



Eurofast GBS  
6,0 x L



Eurofast  
DVP-DF-7070D




Combination:  
Eurofast DVP-DF-7070D  
Eurofast GBS 6,0 x L

Van Roij Fasteners Europe b.v.  
Jan Tooropstraat 16  
NL-5753 DK Deurne  
copyright © 12.2015




Range EAS 6,3 x L


TLK- 75	EAS 6,3 x L
---------	-------------



BTRP-45 x L    EAS 6,3 x L




BIO-45 x L      EAS 6,3 x L




Van Roij Fasteners Europe b.v.

Combination:  
Eurofast BIO  $\phi$  45 x L  
Eurofast EAS 6,3 x L


TLK-45 x L    EAS 6,3 x L



VRF Eurofast EAS  
6,3 x L



VRF Eurofast  
TLK Ø 45



Van Roij Fasteners Europe b.v.

Combination:  
Eurofast TLK Ø 45 x L  
Eurofast EAS 6,3 x L

# SGS

TRP-45 x L      EAS 6,3 x L

